



U.S. Department  
of Homeland Security  
**United States  
Coast Guard**

## LOCAL NOTICE TO MARINERS

**District: 1**

**Week: 46/13**

COASTAL WATERS FROM EASTPORT, MAINE TO SHREWSBURY, NEW JERSEY

NOTES: (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity of assigned position, mariners should proceed with caution.

(2) The Local Notice to Mariners consists of a Weekly Edition.

(3) Inquiries, Published Articles or Information: <mailto:LNM@d1.uscg.mil>

(4) The U.S. Coast Pilot supplements the navigational information shown on nautical charts. (5) The Coast Pilot, along with its corrections, are available online at <http://www.nauticalcharts.noaa.gov/ncd/cdownload.htm>.

The Local Notice to Mariners is available online at <http://www.navcen.uscg.gov/?pageName=lnmDistrict&region=1>

The 2013 Light List is available online at: <http://www.navcen.uscg.gov/index.php?pageName=lightLists>

Information on Private Aids to Navigation is available at: <http://www.uscg.mil/d1/prevention/NavInfo/navinfo/paton.htm>

Reports of Channel conditions can be found at the Army Corps of Engineers website at:

<http://www.nae.usace.army.mil/Missions/Navigation/MassachusettsProjects.aspx>.

NOAA Tides and Currents can be found at: <http://tidesandcurrents.noaa.gov/>.

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: <http://cgls.uscg.mil/mailman/listinfo/nanu>. In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mailto: [tis-sg-nisws@uscg.mil](mailto:tis-sg-nisws@uscg.mil), or on the internet at: <http://www.navcen.uscg.gov>.

### REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER, FIRST COAST GUARD DISTRICT (dpw)  
408 Atlantic Avenue, Boston, Massachusetts 02110-3350  
Telephone: 1-800-848-3942. Ext. 8356  
24 Hour FAX: (617) 223-8291  
Hearing impaired (TDD) 1-800-689-0816  
<http://www.uscg.mil/d1/prevention/default.asp>

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

### ABBREVIATIONS

#### A through H

ADRIFT - Buoy Adrift  
AICW - Atlantic Intracoastal Waterway  
Al - Alternating  
B - Buoy  
BKW - Breakwater  
bl - Blast  
BNM - Broadcast Notice to Mariner  
bu - Blue  
C - Canadian  
CHAN - Channel  
CGD - Coast Guard District

#### I through O

I - Interrupted  
ICW - Intracoastal Waterway  
IMCH - Improper Characteristic  
INL - Inlet  
INOP - Not Operating  
INT - Intensity  
ISL - Islet  
Iso - Isophase  
kHz - Kilohertz  
LAT - Latitude  
LB - Lighted Buoy

#### P through Z

PRIV - Private Aid  
Q - Quick  
R - Red  
RACON - Radar Transponder Beacon  
Ra ref - Radar reflector  
RBN - Radio Beacon  
REBUILT - Aid Rebuilt  
RECOVERED - Aid Recovered  
RED - Red Buoy  
REFL - Reflective  
RRL - Range Rear Light

C/O - Cut Off  
 CONT - Contour  
 CRK - Creek  
 CONST - Construction  
 DAYMK/Daymk - Daymark  
 DBN/Dbn - Daybeacon  
 DBD/DAYBD - Dayboard  
 DEFAC - Defaced  
 DEST - Destroyed  
 DISCON - Discontinued  
 DMGD/DAMGD - Damaged  
 ec - eclipse  
 EST - Established Aid  
 ev - every  
 EVAL - Evaluation  
 EXT - Extinguished  
 F - Fixed  
 fl - flash  
 FI - Flashing  
 G - Green  
 GIWW - Gulf Intracoastal Waterway  
 HAZ - Hazard to Navigation  
 HBR - Harbor  
 HOR - Horizontal Clearance  
 HT - Height

LBB - Lighted Bell Buoy  
 LHB - Lighted Horn Buoy  
 LGB - Lighted Gong Buoy  
 LONG - Longitude  
 LNM - Local Notice to Mariners  
 LT - Light  
 LT CONT - Light Continuous  
 LTR - Letter  
 LWB - Lighted Whistle Buoy  
 LWP - Left Watching Properly  
 MHz - Megahertz  
 MISS/MSNG - Missing  
 Mo - Morse Code  
 MRASS - Marine Radio Activated Sound Signal  
 MSLD - Misleading  
 N/C - Not Charted  
 NGA - National Geospatial-Intelligence Agency  
 NO/NUM - Number  
 NOS - National Ocean Service  
 NW - Notice Writer  
 OBSCU - Obscured  
 OBST - Obstruction  
 OBSTR - Obstruction  
 Oc - Occulting  
 ODAS - Anchored Oceanographic Data Buoy

RELIGHTED - Aid Relit  
 RELOC - Relocated  
 RESET ON STATION - Aid Reset on Station  
 RFL - Range Front Light  
 RIV - River  
 RRASS - Remote Radio Activated Sound Signal  
 s - seconds  
 SEC - Section  
 SHL - Shoaling  
 si - silent  
 SIG - Signal  
 SND - Sound  
 SPM - Single Point Mooring Buoy  
 SS - Sound Signal  
 STA - Station  
 STRUCT - Structure  
 St M - Statute Mile  
 TEMP - Temporary Aid Change  
 TMK - Topmark  
 TRLB - Temporarily Replaced by Lighted Buoy  
 TRLT - Temporarily Replaced by Light  
 TRUB - Temporarily Replaced by Unlighted Buoy  
 USACE - Army Corps of Engineers  
 W - White  
 Y - Yellow

**Additional Abbreviations Specific to this LNM Edition:   None**

---

## SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

---

### **CORRECTION TO US CHART No. 1, EDITION 12**

Corrections to U.S. Chart No. 1, Edition 12 can be found at [http://www.nauticalcharts.noaa.gov/mcd/chart1/US\\_ChartNo1\\_2013.10.22.pdf](http://www.nauticalcharts.noaa.gov/mcd/chart1/US_ChartNo1_2013.10.22.pdf)

LNM 46/13

### **U.S. COAST GUARD MEDIUM FREQUENCY (MF) DISTRESS WATCHKEEPING**

Mariners are advised that calls to the U.S. Coast Guard on the international radiotelephone distress frequency 2182 kHz or the Digital Selective Calling (DSC) frequency 2187.5 kHz may not be heard or may be severely degraded. Instead of using 2182 kHz for distress calls, mariners should use high frequency (HF) radiotelephone or DSC in the 4, 6, 8, and 12 MHz distress or calling bands. Additional information concerning U.S. Coast Guard HF watchkeeping is posted on the U.S. Coast Guard's Navigation Center website (<http://www.navcen.uscg.gov/?pageName=cgcommsCall> ).

LNM 11/13

### **RANGE STRUCTURES-Revised-9/12/2012**

The U.S. Coast Guard has become aware that Coast Guard information used to depict a rangeline on NOAA Electronic Navigational Charts (ENC) may not be of sufficient accuracy to accurately portray the rangeline on the ENC. Mariners are cautioned that the position of a rangeline as shown on an ENC may not reflect its true position.

The following D1 ranges were highlighted as having potentially questionable positions:

(Charts 13229 13230 13236)

Cleveland Ledge Channel Range Front Light (LLNR 16085)

Cleveland Ledge Channel Range Rear Light (16090)

(Charts 12377 12378)

Connecticut River Range C Front Light 40 (LLNR 22990)

Connecticut River Range C Rear Light (22995)

Connecticut River Range G Front Light 116 (LLNR 23220)

Connecticut River Range G Rear Light (23225)

Connecticut River Range J Front Light 116 (LLNR 23270)

Connecticut River Range J Rear Light (23275)

The Coast Guard is in the process of investigating this information and if necessary, surveying the ranges to correct the discrepancies.

LNM 03/11

#### **ENDANGERED NORTHERN RIGHT WHALES**

US - ATLANTIC SEACOAST – Critically endangered Right Whales may be encountered in offshore and coastal waters. Right whales are slow moving and at risk of serious injury or death due to collisions with vessels. Beginning December 9, 2008, U.S. law (50 CFR 224.105) prohibits operating vessels 65 feet (19.8 M) or greater in excess of 10 knots in specific managed locations along the U.S. East Coast during times when right whales are likely to be present. See enclosed "Compliance Guide for Right Whale Ship Strike Reduction Rule" for specific times, areas, and exceptions to this law. Intentionally approaching within 500 yards of right whales is prohibited and is a violation of U.S. law. A minimum distance of 500 yards must be maintained from a sighted whale unless hazardous to the vessel or its occupants. NOAA recommends that operators assume that any whale sighted is a right whale. NOAA also recommends speeds of 10 knots or less in areas used by right whales and outside of seasonally managed areas when consistent with safety of navigation. The compliance guide is available at: ([http://www.nmfs.noaa.gov/pr/shipstrike/compliance\\_guide.pdf](http://www.nmfs.noaa.gov/pr/shipstrike/compliance_guide.pdf) ). In the northeast, please report all right whale sightings to 978-585-8473 and all collisions to 978-281-9351, telex #48156090 or to the Coast Guard via channel 16. Vessels that report MSR arrivals via TELEX must use the new number (#48156090) effective immediately. The existing INMARSAT email address currently in use ([rightwhale.msr@noaa.gov](mailto:rightwhale.msr@noaa.gov) ) remains active. For more information, consult the U.S. Coast Pilot.

LNM 30/12

#### **NY/NJ – OPERATION CLEAR CHANNEL IN THE PORT OF NY/NJ**

The Operation Clear Channel program is designed to educate boaters about the hazards of navigating small vessels and personal water craft in the confines of the navigational channels used by larger commercial ships that enter and depart the various ports in New York Harbor. The Federal navigation rules, also known as the "Rules of the Road", address this safety concern by giving commercial vessels priority, or right-of-way, over smaller vessels when navigating in narrow channels. Every day an average of 1,400 commercial vessels navigate the waters of the Port of NY/NJ. The masters of these vessels, while always on the lookout, cannot always see smaller vessels when they cross the channels. For safety reasons, recreational boaters should keep a sharp lookout for other vessels and always be prepared to give way to ships constrained in their ability to maneuver when transiting within close proximity to a channel. Coast Guard units in New York and New Jersey actively promote boater awareness through vessel enforcement patrols and visits to local marinas. The Coast Guard targets high-traffic regions, such as Ambrose Channel, Sandy Hook Channel and Raritan Bay, but also includes all of New York Harbor. Mariners interested in increasing their knowledge of boating safety, including the Rules of the Road, should consider a Coast Guard Auxiliary boating safety course. Course information is available online at <http://www.cgaux.org> in the "Take a Boating Course" section, or by calling 1-800-336-BOAT. Further information can be found at <http://thesafeharbor.us/index.html> .

Chart 12327

LNM 06/12

#### **SAFE BOATING VIDEO FOR THE PORT OF NY & NJ**

This free online educational resource for safe boating in the Port of NY & NJ is a cooperative effort by the I BOAT NJ program through NJ DOT and USCG Sector NY. The project contains a feature length 26 minute safety video describing the challenges of the multi user Port environment and 5 sub chapters: Paddlers, Motor Boaters, Sailors, Pilots and Operation Clear Channel. Its mission is to increase safety and awareness in the Port and its target is recreational boaters who transit and operate in the Port. It can be found online at <http://thesafeharbor.us/index.html>. Please distribute far and wide.

LNM 03/12

#### **US NOTICE TO MARINERS (NTM)**

The US Notice to Mariners provides timely marine safety information for the correction of all US Government navigation charts and publications from a wide variety of sources both foreign and domestic. To ensure the safety of life at sea, the information published in the Notice to Mariners is designed to provide for the correction of unclassified nautical charts, the Unclassified NGA/DLIS Catalog of Hydrographic Products, United States Coast Pilots, NGA List of Lights, USCG Light Lists, and other related nautical publications produced by NGA, NOS and the USCG. The US Notice to Mariners will contain only those chart corrections of interest to ocean going vessels. It is available online at [http://msi.nga.mil/NGAPortal/MSI.portal?nfpb=true&pageLabel=msi\\_portal\\_page\\_61](http://msi.nga.mil/NGAPortal/MSI.portal?nfpb=true&pageLabel=msi_portal_page_61) . NTM 01 – Special Paragraphs includes information on: America's Waterway Watch program asking those who work, live, or recreate on or near the water to be aware of suspicious activity, The Prudent Mariner and the use of floating Aids to Navigation, and Northern Right Whales.

LNM 02/12

#### **USCG's BOATING SAFETY DIVISION**

The U.S. Coast Guard's Boating Safety Division (CG-5422) is dedicated to reducing loss of life, injuries, and property damage that occur on U.S. waterways by improving the knowledge, skills, and abilities of recreational boaters. Additional information, including Recalls and Safety Defects, is available at <http://www.uscgboating.org> and at <http://marineinvestigations.us> .

LNM 02/12

#### **NY-LONG ISLAND-MARINE SAFETY ALERT (MILITARY MUNITIONS)**

Recently, a commercial fishing vessel dredging for clams in about 200 FSW in the vicinity of Hudson Canyon, approx. 45 NM south of Long Island, New York reportedly recovered 8 liquid-filled munitions believed to be 75mm projectiles chemical munitions (circa 1919). As a result, a crewman was hospitalized due to chemical exposure, the fishing vessel was quarantined for several days and the catch was destroyed. Incidental recovery of munitions or munition components during commercial and other activities (channel dredging) occurs occasionally. Any such inadvertent recoveries or the intentional recovery or handling (disturbing) of underwater munitions (e.g., during scuba or free diving) can have life-threatening results. Marine growth can make munitions hard to identify. Thus, any munitions, unknown or unidentifiable objects should be carefully, but immediately, discarded overboard and the coordinates of the harvest and re-disposal area promptly reported to the U.S. Coast Guard.

The U.S. Army's 3Rs Explosives Safety Guide (Maritime Industry) is available at the following URL [www.denix.osd.mil/portal/page/portal/UXOSafety/EducationalResources/SafetyGuides](http://www.denix.osd.mil/portal/page/portal/UXOSafety/EducationalResources/SafetyGuides). Its core message is, Recognize that an item might be a munition, Retreat by separating personnel and the vessel from the item, and Report the encounter. The safety guide provides useful imagery to assist in recognizing munitions and recommended actions.

Given the recent event, the Coast Guard strongly recommends

- any persons involved in commercial fishing industries and any similar activities, review current "Notices to Mariners" and update their navigational charts to ensure "Explosives Dumping Areas" are properly marked and identified, and that all vessel operators know to give these areas wide berth when towing bottom-contact gear,
- mariners review 3Rs material from the URL above, and
- vessels report any encounters immediately to the National Response Center at 1-800-424-8802 for proper response. (Alternatively, the USCG may be notified via channel 16)

This safety alert is provided for informational purposes only and does not relieve any domestic or international safety, operational, or material requirement. Please visit <http://fishsafe.info> for additional fishing safety information.

LNM 25/10

#### **CODE OF FEDERAL REGULATIONS -TITLE 33 PART 70 - INTERFERENCE WITH OR DAMAGE TO AIDS TO NAVIGATION**

No person, shall take possession of or make use of for any purpose, or build upon, alter, deface, destroy, move, injure, obstruct by fastening vessels thereto or otherwise, or in any manner whatever impair the usefulness of any aid to navigation established and maintained by the United States. Recently several offshore NOAA data buoys parted their moorings and became adrift due to excessive strain on the mooring. These navigational data buoys collect valuable on scene weather data for all mariners. These buoys are anchored to the seabed, and some have a watch circle radius of over 1 nautical mile. Once the mooring is parted and the buoy is adrift only certain Coast Guard resources can reset the aid back on its intended station. Coordinating of resources to retrieve the buoy, and place it back on station is time consuming and sometimes take weeks, thus valuable weather information cannot be obtained and relayed to mariners in need of it. Mariners are advised not to interfere with these aids to navigation and report any sightings of vessels tied off to them to the U.S. Coast Guard. Interference with or intentional damage to Aids to Navigation is a misdemeanor and shall be subject to a fine not exceeding the sum of \$500 for each offense (33 CFR 70.01).

LNM 44/07

#### **NOTICE TO ALL PRIVATE BOATS AT SEA**

United States laws and regulations require that ALL private boats arriving from a foreign port or place MUST report to the Bureau of Customs and Border Protection IMMEDIATELY upon their arrival into the United States. Every person entering the United States must be seen in person for immigration purposes by a Customs and Border Protection officer, except those participating in the I-68 -Canadian Border Boat Landing Program-. However, holders of form I-68 are still required to report their arrival into the United States to the Bureau of Customs and Border Protection. Masters and passengers must provide proof of citizenship or legal immigration status, and be in possession of a valid passport and visa, if required. Citizens of countries that are participants in the Visa Waiver Program are not eligible to seek admission to the United States under that program via private vessel. Once your boat is anchored or tied, you are considered to have entered the United States. No one may leave the vessel until Customs and Border Protection grants permission. The only exception to this requirement is to report arrival. In order to fulfill the requirement to immediately report a private boat arrival, the master of the vessel must contact the nearest Customs and Border Protection Office, or if the arrival occurs after business hours, the nearest 24 hour port of entry. Upon reporting, you may be required to proceed to a staffed port for inspection by Customs and Border Protection. Failure to comply with these requirements could result in serious criminal and civil penalties, including seizure of the boat. International mariners are urged to report any suspicious or illegal activity to the Bureau of Customs and Border Protection at 1-800-BE-ALERT.

LNM 29/03

## SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

### DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
20	Monhegan Island Light	LT EXT	13301	SNNE-0131-13	37/13	
560	NOAA Data Lighted Buoy 44018	MISSING	13203	SSENE-0019-12	12/12	
625	Narragansett-Buzzards Bay Approach Lighted Whistle Buoy A	RAC INOP	13218	SSENE-0189-13	38/13	
725	NOAA Data Lighted Buoy 44065	LT EXT	12348	SNEW-0117-12	24/12	
825	NOAA Data Lighted Buoy 44011 (ODAS)	ADRIFT	13200	CGD1-0007-12	37/12	
827	NOAA Data Lighted Buoy 44008 (ODAS)	OFF STA	13203	SSENE-0034-13	07/13	
855	Lubec Channel Buoy 1	MISSING	13396	SNNE-0071-13	23/13	
1255	Moose Rock Daybeacon M	STRUCT DEST	13326	SNNE-0084-13	26/13	
1520	Norton Island Buoy 2	MISSING	13324	SNNE-0076-13	23/13	
1820	Schoodic Lighted Bell Buoy 2S	ADRIFT	13318	SNNE-0146-13	45/13	
2296	Great Duck Island Light Station Mooring Buoy	MISSING	13313	SNNE-0143-13	43/13	
4850	Gay Cove Ledge Buoy 3	SINKING	13301	SNNE-0140-13	42/13	
4925	Monhegan Island Light	LT EXT	13301	SNNE-0131-13	37/13	
5135	Pemaquid Ledge Buoy PL	ADRIFT	13293	SNNE-0147-13	45/13	
6025	Pond Island Light	LT EXT	13295	SNNE-0142-13	42/13	
7920	Scarborough River Buoy 9	MISSING	13287	SNNE-0149-13	45/13	
8095	Cape Porpoise Harbor Buoy 4	MISSING	13286	SNNE-070-13	23/13	
8185	Kennebunk River Buoy 9	OFF STA	13286	SNNE-0137-13	41/13	
<b>8240</b>	<b>Perkins Cove Buoy 1</b>	<b>SINKING</b>	<b>13286</b>	<b>SNNE-0150-13</b>	<b>46/13</b>	
8248	Perkins Cove Daybeacon 4	TMK MISSING	13286	SNNE-0053-13	18/13	
9990	Whaleback Daybeacon 8	DAYMK MISSING	13275	SBOS-0076-13	19/13	
10410	Tinkers Rock Gong Buoy TR	SS INOP	13275	SBOS-0091-13	23/13	
<b>11430</b>	<b>The Narrows Light 4</b>	<b>DAYMK DMGD</b>	<b>13270</b>	<b>SBOS-0147-13</b>	<b>46/13</b>	
12530	High Pine Ledge Buoy 10	OFF STA	13253	SBOS-0088-13	22/13	
13040	Cape Cod Canal Approach Lighted Bell Buoy CC	TMK MISSING	13246	SSENE-0204-13	41/13	
13180	Billingsgate Flat Lighted Buoy 3	LT EXT	13250	SSENE-0096-13	21/13	
13595	Great Round Shoal Channel Lighted Buoy 4	OFF STA	13244	SSENE-0211-13	43/13	
13640	Great Round Shoal Channel Lighted Bell Buoy 13	LT EXT	13241	SSENE-0110-13	22/13	
14050	Saquatucket Harbor East Jetty Light 6	DAYMK MISSING	13229	SSENE-0213-13	43/13	
14575	Lewis Bay Approach Channel Lighted Buoy 9	OFF STA	13229	SSENE-0167-13	36/13	
<b>14780</b>	<b>Wreck Shoal Lighted Bell Buoy 8</b>	<b>LT EXT</b>	<b>13229</b>	<b>SSENE-0221-13</b>	<b>46/13</b>	
15450	Oak Bluffs Daybeacon	DAYMK MISSING	13238	SSENE-0050-13	09/13	
15980	Narragansett-Buzzards Bay Approach Lighted Whistle Buoy A	RAC INOP	13218	SSENE-0189-13	38/13	
16765	Padanaram Breakwater Light 8	REDUCED INT	13232	SSENE-0203-13	41/13	
19495	Point Judith Harbor of Refuge Main Breakwater Center Light	MISSING	13219	SSENE-0128-12	45/12	
19500	Point Judith Harbor of Refuge West Entrance Light 2	LT EXT/DAYMK MISSING	13219	SSENE-0005-13	03/13	
19505	Point Judith Harbor of Refuge West Entrance Light 3	SS INOP	13219	SSENE-0192-13	39/13	
19720	Block Island Breakwater Light 3	TRLB/LT EXT/SS INOP	13217	SSENE-0130-12	45/12	
<b>20280</b>	<b>Little Narragansett Bay Channel Lighted Buoy 23</b>	<b>MISSING</b>	<b>13214</b>	<b>SLIS-0287-13</b>	<b>46/13</b>	
22140	Stoddards Old Dock Light 30	LT EXT	12372	SLIS-0248-13	37/13	
22595	Connecticut River Light 22	LT EXT	12375	SLIS-0335-12	51/12	

24080	New Haven West Breakwater West End Light 2	LT EXT/DAYMK MISSING	12371	SLIS-0158-13	24/13
24360	Housatonic River Breakwater Light 2A	TRLB/STRUCT DEST	12369	SLIS-0243-12	45/12
24610	Bridgeport East Breakwater Light 12A	STRUCT DMGD	12369	SLIS-0242-12	45/12
24615	Bridgeport Harbor Light 13A	STRUCT DMGD	12369	SLIS-0242-12	45/12
24675	Black Rock Harbor Entrance Light 2A	TRLB/LT EXT	12369	SLIS-0286-12	45/12
25010	Norwalk Channel Light 11	DAYMK MISSING	12368	SLIS-0104-13	16/13
31530	East Rockaway Inlet Lighted Buoy 5	OFF STA	12350	SLIS-0260-13	39/13
34525	Motts Basin Buoy 6	MISSING	12350	SNEW-0812-13	44/13
<b>35157</b>	<b>Sandy Hook Channel Lighted Shoal Buoy 11A</b>	<b>MISSING</b>	<b>12401</b>	<b>SNEW-0850-13</b>	<b>46/13</b>
<b>35215</b>	<b>Chapel Hill South Channel Lighted Gong Buoy 5</b>	<b>LT IMCH</b>	<b>12401</b>	<b>SNEW-0848-13</b>	<b>46/13</b>
<b>36190</b>	<b>Princes Bay Range Front Light</b>	<b>LT EXT</b>	<b>12331</b>	<b>SNEW-0847-13</b>	<b>46/13</b>
36490	Raritan River Channel Lighted Buoy 15	LT EXT	12332	SNEW-0720-13	38/13
39060	Troy Dam Central Danger Buoy	MISSING	12348	SNEW-0691-13	37/13
39065	Troy Dam West Danger Buoy	MISSING	12348	SNEW-0692-13	37/13
39135	Stony Point Breakwater Light 4	REDUCED INT	14781	SNNE-0091-11	22/11
39400	Gordon Landing Breakwater Light	LT EXT	14782	SNNE-0023-13	09/13
39450	Crab Island Buoy 24	ADRIFT	14782	SNNE-0085-13	26/13
39500	Allen Point Buoy 1	OFF STA	14782	SNNE-0096-12	35/12
39725	Proctor Shoal Buoy PS	MISSING	14785	SNNE-0061-13	21/13
40100	Whipple Point Light	LT EXT	14784	SNNE-0088-13	26/13

#### DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
4115	Shag Rock Daybeacon 9	WATCHING PROPERLY	13307	SNNE-0134-13	37/13	46/13
15675	Little Harbor Buoy 9	WATCHING PROPERLY	13235	SSENE-0220-13	46/13	46/13
16897	New Bedford West Barrier Light	WATCHING PROPERLY	13232	SSENE-0219-13	46/13	46/13
36790	Arthur Kill Channel Lighted Buoy 24	WATCHING PROPERLY	12331	SNEW-0834-13	46/13	46/13
37570	Hackensack River Channel Buoy 10	WATCHING PROPERLY	12337	SNEW-0724-13	38/13	46/13
38495	Hudson River Lighted Buoy 119	WATCHING PROPERLY	12347	SNEW-0845-13	46/13	46/13
38870	Hudson River Lighted Buoy 192	WATCHING PROPERLY	12348	SNEW-0846-13	46/13	46/13

#### DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
6	University of Maine Jordan Basin Lighted Buoy M	ADRIFT	13260	SNNE-0011-13	07/13	
496	WHOI Traffic Separation Scheme Research Lighted Buoy AB-8	MISSING	13260	SSENE-0072-13	14/13	
498	WHOI Traffic Separation Scheme Research Lighted Buoy AB-10	MISSING	13246	SSENE-0016-12	09/12	
510.1	Nauset Beach Light	LT EXT	13246	SSENE-0057-13	11/13	
651	ACOE Block Island Lighted Research Buoy 154	OFF STA/LT EXT	12300	SSENE-0183-13	37/13	
9150	Salisbury Point Light	OFF STA	13282	SBOS-118-13	32/13	
11240.9	UMass Buoy 10	DAYMK IMCH	13270	SBOS-0109-13	34/13	
12120	Spinnaker Island Marina Buoy 3	MISSING	13270	SBOS-0114-13	30/13	
12153	Allerton Harbor Buoy 9	OFF STA	13270	SBOS-0115-13	30/13	
13033	Pilgrim Power Plant Security Zone Buoy H	OFF STA	13246	SBOS-0125-13	36/13	
14741.13	West Bay Entrance Buoy 7	MISSING	13237	SSENE-0120-13	26/13	
16853	Butler Flats Light	LT EXT	13232	SSENE-0081-13	17/13	
17891	Jamestown Harbor Channel Buoy 1	MSLD SIG	13223	SSENE-0131-11	29/11	
17892	Jamestown Harbor Channel Lighted Buoy 2	LT EXT	13223	SSENE-0132-11	29/11	
17893	Jamestown Harbor Channel Buoy 3	MSLD SIG	13223	SSENE-0133-11	29/11	
17894	Jamestown Harbor Channel Buoy 4	MSLD SIG	13223	SSENE-0134-11	29/11	

17915	Coasters Harbor Island Obstruction Light	LT EXT	13221	SNNE-008-13	51/12
17923	Newport Naval Station Security Zone Buoy G	MISSING	13223	SSENE-0246-11	43/11
17926	Newport Naval Station Security Zone Buoy I	MISSING	13223	SSENE-0248-11	43/11
17929	Newport Naval Station Security Zone Buoy L	SINKING	13223	SSENE-0250-11	43/11
17932	Newport Naval Station Security Zone Buoy N	MISSING	13223	SSENE-0090-12	33/12
18779	Barrington River Fairway Channel Lighted Buoy 6	OFF STA	13224	SSENE-0172-13	37/13
18779.1	Barrington River Fairway Channel Lighted Buoy 7	OFF STA	13224	SSENE-0173-13	37/13
18780	Barrington River Buoy 8	OFF STA/DAYMK IMCH	13224	SSENE-0170-13	36/13
19111	Dutch Island Harbor Channel Buoy 1	LT IMCH	13223	SSENE-0145-13	30/13
19112	Dutch Island Harbor Channel Buoy 2	MSLD SIG	13223	SSENE-0136-11	29/11
19113	Dutch Island Harbor Channel Buoy 3	LT IMCH	13223	SSENE-0146-13	30/13
19114	Dutch Island Harbor Channel Buoy 4	LT IMCH	13223	SSENE-0147-13	30/13
19125	Jamestown Bridge Sound Signal	SS INOP	13221	SSENE-0169-13	36/13
19468	Quonochontaug Pond Buoy 1	DAYMK IMCH	13215	SSENE-0175-13	37/13
19469	Quonochontaug Pond Buoy 2	DAYMK IMCH	13215	SSENE-0178-13	37/13
19469.1	Quonochontaug Pond Buoy 3	DAYMK IMCH	13215	SSENE-0179-13	37/13
19469.2	Quonochontaug Pond Buoy 4	ADRIFT	13215	SSENE-0180-13	37/13
19676	Billington Cove Marina Channel Buoy 1	OFF STA	13219	SSENE-0140-13	29/13
19678	Billington Cove Marina Channel Buoy 3	LT IMCH	13219	SSENE-0141-13	31/13
21540	Old Saybrook Rock Regulatory Buoy A	MISSING	12375	SLIS-0220-13	30/13
21545	Old Saybrook Rock Regulatory Buoy B	MISSING	12375	SLIS-0220-13	30/13
21550	Old Saybrook Rock Regulatory Buoy C	MISSING	12375	SLIS-0220-13	30/13
21555	Old Saybrook Rock Regulatory Buoy D	MISSING	12375	SLIS-0220-13	30/13
21560	Indian Town East Breakwater Light	LT IMCH	12372	SLIS-0240-13	36/13
22820	Eight Mile River Daybeacon 3	LT IMCH	12375	SLIS-0221-13	30/13
22825	Eight Mile River Daybeacon 5	LT IMCH	12375	SLIS-0221-13	30/13
22830	Eight Mile River Daybeacon 7	MISSING	12375	SLIS-0181-12	36/12
22835	Eight Mile River Daybeacon 9	LT IMCH	12375	SLIS-0221-13	30/13
22840	Eight Mile River Daybeacon 11	LT IMCH	12375	SLIS-0221-13	30/13
22845	Eight Mile River Daybeacon 13	LT IMCH	12375	SLIS-0221-13	30/13
22850	Eight Mile River Daybeacon 15	LT IMCH	12375	SLIS-0221-13	30/13
22855	Eight Mile River Daybeacon 17	LT IMCH	12375	SLIS-0221-13	30/13
23510	Clinton Harbor Channel Buoy 14	OFF STA	12374	SLIS-0245-12	45/12
23515	Clinton Harbor Channel Buoy 16	OFF STA	12374	SLIS-0188-12	37/12
23515	Clinton Harbor Channel Buoy 16	OFF STA	12374	SLIS-0245-12	45/12
24995	Manresa Island Southerly Light	LT EXT	12368	SLIS-0266-13	40/13
25385	Finch Rock Buoy 1A	MISSING	12367	SLIS-0251-13	38/13
26320	Nissequogue River Lighted Buoy 2	MISSING	12364	SLIS-0270-13	42/13
26325	Nissequogue River Lighted Buoy 4	MISSING	12364	SLIS-0270-13	42/13
26330	Nissequogue River Lighted Buoy 6	MISSING	12364	SLIS-0270-13	42/13
26335	Nissequogue River Lighted Buoy 8	MISSING	12364	SLIS-0270-13	42/13
26340	Nissequogue River Lighted Buoy 10	MISSING	12364	SLIS-0270-13	42/13
26905	Oyster Bay Harbor Channel Buoy 3	OFF STA	12365	SLIS-0254-13	38/13
26910	Oyster Bay Harbor Channel Buoy 4	OFF STA///STRUCT DMGD	12365	SLIS-0265-13	38/13
26920	Oyster Bay Harbor Channel Buoy 6	OFF STA	12365	SLIS-0254-13	38/13
28130	Mill Creek Buoy 6	MISSING	12358	SLIS-0197-13	27/13
29540	East-West Channel Buoy 15	LT EXT	12352	SLIS-0258-13	39/13
37374	Shooters Island South Channel Wreck Lighted Buoy WR1	OFF STA	12333	SNEW-0335-12	51/12
39220	Pelots Point North Railroad Daybeacon	LT EXT	14781	SNNE-0097-11	23/11
39225	Pelots Point South Railroad Daybeacon	LT EXT	14781	SNNE-0097-11	23/11

39490	Allen Point Railroad South Daybeacon	LT EXT	14782	SNNE-0093-11	22/11
39495	Allen Point Railroad North Daybeacon	LT EXT	14782	SNNE-0092-11	22/11

#### DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
695	Fire Island Light	WATCHING PROPERLY	12352	SLIS-0134-13	21/13	46/13
25576	Coveleigh Yacht Club Channel Lighted Buoy 1	WATCHING PROPERLY	12367	SNEW-0372-13	25/13	46/13
39440	Canal Terminal Range Front Light	DISCONTINUED	14782	SNNE-0145-13	44/13	46/13
39445	Canal Terminal Range Rear Light	DISCONTINUED	14782	SNNE-0145-13	44/13	46/13

#### PLATFORM DISCREPANCIES

Nam	Status	Position	BNM Ref.	LNM St	LNM End
-----	--------	----------	----------	--------	---------

None

#### PLATFORM DISCREPANCIES CORRECTED

Nam	Status	Position	BNM Ref.	LNM St	LNM End
-----	--------	----------	----------	--------	---------

None

### SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

#### TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
235	Isles of Shoals Light	DISCONTINUED	13283	NONE	21/13	
465.5	WHOI Temporary Research Lighted Buoy DMON AB	DISCONTINUED	13267	NONE	42/13	
1135	Stone Island Ledge Daybeacon 3	DISCONTINUED	13326	SNNE-0032-13	11/13	
3710	Point Ledge Daybeacon 10	TRUB	13303	SNNE-0178-09	08/09	
3980	Dogfish Ledges Daybeacon 25	TRUB	13308	SNNE-0058-10	13/10	
4815	Old Horse Ledge Daybeacon 10	DISCONTINUED	13301	SNNE-0008-13	07/13	
5420	Ram Island Light	DISCONTINUED	13293	SNNE-0118-12	40/12	
6025	Pond Island Light	DISCONTINUED	13295	NONE	19/13	
8054	University of New England Lighted Research Buoy A	DISCONTINUED	13287	NONE	35/12	
<b>14575</b>	<b>Lewis Bay Approach Channel Lighted Buoy 9</b>	<b>DISCONTINUED FOR DREDGING</b>	<b>13229</b>	<b>SSENE-0225-13</b>	<b>46/13</b>	
<b>14580</b>	<b>Lewis Bay Approach Channel Lighted Buoy 11</b>	<b>RELOCATED FOR</b>	<b>13229</b>	<b>SSENE-0226-13</b>	<b>46/13</b>	
<b>14640</b>	<b>Lewis Bay Approach Channel Buoy 21</b>	<b>RELOCATED FOR</b>	<b>13229</b>	<b>SSENE-0227-13</b>	<b>46/13</b>	
15466	Douglas Rock Daybeacon	DISCONTINUED	13223	SENE-0251-11	44/11	
19720	Block Island Breakwater Light 3	TRLB	13217	SENE-0145-12	48/12	
20159	University of Connecticut Bushy Point Research Lighted Buoy	TRUB	13213	SLIS-0145-12	30/12	
23215	Connecticut River Buoy 115	DISCONTINUED	12377	SLIS-0308-11	37/11	
23265	Connecticut River Buoy 126	DISCONTINUED	12377	SLIS-0308-11	44/11	
24360	Housatonic River Breakwater Light 2A	TRLB	12369	LIS-0313-12	47/12	
24675	Black Rock Harbor Entrance Light 2A	TRLB	12369	LIS-0314-12	47/12	



24762	Pine Creek Point Aquaculture Lighted Buoys (4)	DISCONTINUED	12369	LIS-0096-11	19/11
25050	Norwalk Channel Buoy 21	DISCONTINUED FOR DREDGING	12368	SLIS-0278-13	43/13
26071	Mount Sinai Harbor Breakwater Light 2	DISCONTINUED	12364	LIS 0073-11	12/11
29107	Moriches Inlet East Cut Buoy 3E	DISCONTINUED	12352	LIS-0100-13	17/13
29107.1	Moriches Inlet East Cut Buoy 5E	DISCONTINUED	12352	SLIS-0099-13	15/13
30890	Jones Inlet Light	DISCONTINUED FOR DREDGING	12352	SLIS-338-12	01/13
30890	Jones Inlet Light	TRUB	12352	SLIS-168-13	28/13
31070	Sloop Channel Daybeacon 12	TRUB	12352	LIS-0114-10	26/10
31090	Sloop Channel Daybeacon 19	TRUB	12352	LIS-0202-08	36/08
31120	State Boat Channel Daybeacon 3	TRUB	12352	LIS-0012-12	07/12
31245	State Boat Channel Daybeacon 38	TRUB	12352	LIS-0211-10	41/10
31290	State Boat Channel Light 53	TRLB	12352	LIS-0083-11	18/11
31335	State Boat Channel Light 63	TRLB	12352	LIS-0093-11	18/11
31470	State Boat Channel Buoy 86	DISCONTINUED FOR DREDGING	12352	SLIS-0187-13	26/13
31500	East Rockaway Inlet Breakwater Light	DISCONTINUED FOR DREDGING	12350	SLIS-337-12	01/13
32085	Reynolds Channel Light 11	DISCONTINUED	12352	LIS-0021-13	06/13
32540	Reynolds Channel Daybeacon 19	TRUB	12352	LIS-0022-11	18/11
35000	Governors Island Extension Light	DISCONTINUED	12334	NEW-0272-12	11/13
35395	Old Orchard Shoal Light	DISCONTINUED	12401	NEW-0270-13	19/13
35720	Compton Channel Buoy 8	RELOCATED DUE TO SHOALING	12401	SNEW-0511-13	29/13
37172	Port Jersey Channel North Lighted Buoy 4	DISCONTINUED	12334	NONE	25/11
38425	Hudson River Lighted Buoy 106	RELOCATED	12347	NONE	44/12
39450	Crab Island Buoy 24	TRUB	14782	SNNE-0087-13	33/13
39490	Allen Point Railroad South Daybeacon	DISCONTINUED	14782	NONE	12/11
	Sloop Channel Temporary Buoy 12	ESTABLISHED	12352	NONE	14/13
	Sloop Channel Temporary Buoy 19	ESTABLISHED	12352	NONE	14/13
	State Boat Channel Temporary Buoy 3	ESTABLISHED	12352	NONE	14/13
	State Boat Channel Temporary Buoy 38	ESTABLISHED	12352	NONE	14/13
	State Boat Channel Temporary Lighted Buoy 53	ESTABLISHED	12352	NONE	14/13
	State Boat Channel Temporary Lighted Buoy 63	ESTABLISHED	12352	NONE	14/13

#### TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
4680	Emery Island Daybeacon 1	Reestablished	13307		04/13	46/13
38455	Hudson River Lighted Buoy 111	Reestablished	12347	SNEW-0829-13	45/13	46/13
38457	Hudson River Lighted Buoy 112	Reestablished	12347	SNEW-0830-13	45/13	46/13

#### PLATFORM TEMPORARY CHANGES

Nam	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM TEMPORARY CHANGES CORRECTED

Nam	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.						
This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.						
Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR						
(Temp)	ADD	NATIONAL DOCK CHANNEL BUOY 3			CGD01 at 40-41-09.001N	074-02-48.001W
	Corrective Action	Green can	Object of Corrective Action		Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

12327	105th Ed.	01-APR-12	Last LNM: 43/13	NAD 83		46/13
ChartTitle: New York Harbor						
Main Panel 2245 NEW YORK HARBOR. Page/Side: N/A						
DELETE	Sounding in Feet; 10	(NOS NW-23255)			NOS 40-30-59.440N	074-10-49.520W
DELETE	Sounding in Feet; 17	(NOS NW-23255)			NOS 40-31-06.060N	074-05-12.640W
ADD	Rock in Feet; 3 Rk	Chart No. 1: K14.2 (NOS NW-23255)			NOS 40-31-01.589N	074-10-46.441W
ADD	Wreck in Feet; 10 Wk	Chart No. 1: K26 (NOS NW-23255)			NOS 40-34-52.669N	074-03-47.351W
ADD	Wreck in Feet; 14 Wk	Chart No. 1: K26 (NOS NW-23255)			NOS 40-31-10.441N	074-05-10.151W
12331	32nd Ed.	01-JAN-10	Last LNM: 43/13	NAD 83		46/13
ChartTitle: Raritan Bay and Southern Part of Arthur Kill						
Main Panel 2241 RARITAN BAY AND SOUTHERN PART OF ARTHUR KILL. Page/Side: N/A						
ADD	Rock in Feet; 3 Rk	Chart No. 1: K14.2 (NOS NW-23255)			NOS 40-31-01.589N	074-10-46.441W
12350	60th Ed.	01-AUG-11	Last LNM: 38/13	NAD 83		46/13
ChartTitle: Jamaica Bay and Rockaway Inlet						
Main Panel 691 JAMAICA BAY AND ROCKAWAY INLET. Page/Side: N/A						
DELETE	Label;; Shl rep 1976	(NOS NW-23253)			NOS 40-37-20.600N	073-53-51.440W
DELETE	Sounding in Feet; 14	(NOS NW-23253)			NOS 40-36-22.070N	073-54-04.850W
DELETE	Sounding in Feet; 15	(NOS NW-23253)			NOS 40-37-39.780N	073-54-34.350W
DELETE	Sounding in Feet; 17	(NOS NW-23253)			NOS 40-36-34.770N	073-55-01.110W
DELETE	Sounding in Feet; 17	(NOS NW-23253)			NOS 40-36-42.580N	073-54-54.010W
DELETE	Sounding in Feet; 18	(NOS NW-23253)			NOS 40-36-30.680N	073-55-02.270W
DELETE	Sounding in Feet; 18	(NOS NW-23253)			NOS 40-36-36.150N	073-55-02.150W

DELETE	Sounding in Feet; 22	(NOS NW-23253)	40-36-29.180N	073-55-03.800W
DELETE	Sounding in Feet; 26	(NOS NW-23253)	NOS 40-36-29.300N	073-53-11.810W
DELETE	Sounding in Feet; 34	(NOS NW-23253)	NOS 40-36-25.330N	073-55-03.370W
DELETE	Sounding in Feet; 40	(NOS NW-23253)	NOS 40-36-42.290N	073-54-10.760W
DELETE	Sounding in Feet; 40	(NOS NW-23253)	NOS 40-36-45.640N	073-54-14.490W
DELETE	Sounding in Feet; 40	(NOS NW-23253)	NOS 40-36-49.150N	073-54-18.190W
DELETE	Sounding in Feet; 40	(NOS NW-23253)	NOS 40-36-52.840N	073-54-21.880W
DELETE	Sounding in Feet; 40	(NOS NW-23253)	NOS 40-36-56.260N	073-54-27.030W
DELETE	Sounding in Feet; 40	(NOS NW-23253)	NOS 40-36-59.230N	073-54-30.500W
DELETE	Sounding in Feet; 64	(NOS NW-23253)	NOS 40-36-17.990N	073-53-48.290W
ADD	Obstruction in Feet; 14	Obstn Chart No. 1: K41 (NOS NW-23253)	NOS 40-36-18.100N	073-54-05.300W
ADD	Obstruction in Feet; 17	Obstn Chart No. 1: K41 (NOS NW-23253)	NOS 40-36-53.200N	073-54-21.200W
ADD	Obstruction in Feet; 2	Obstn Chart No. 1: K41 (NOS NW-23253)	NOS 40-36-23.000N	073-54-03.500W
ADD	Obstruction in Feet; 3	Obstn Chart No. 1: K41 (NOS NW-23253)	NOS 40-36-35.000N	073-55-00.900W
ADD	Obstruction in Feet; 5	Obstn Chart No. 1: K41 (NOS NW-23253)	NOS 40-36-42.800N	073-54-10.200W
ADD	Obstruction in Feet; 5	Obstn Chart No. 1: K41 (NOS NW-23253)	NOS 40-37-20.500N	073-53-49.500W
ADD	Sounding in Feet; 17	(NOS NW-23253)	NOS 40-36-18.400N	073-53-47.700W
ADD	Sounding in Feet; 17	(NOS NW-23253)	NOS 40-36-28.800N	073-53-11.800W
ADD	Wreck in Feet; 10	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-42.600N	073-54-54.300W
ADD	Wreck in Feet; 12	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-56.300N	073-54-27.300W
ADD	Wreck in Feet; 13	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-24.800N	073-55-02.000W
ADD	Wreck in Feet; 13	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-29.500N	073-55-03.100W
ADD	Wreck in Feet; 20	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-37.900N	073-54-06.200W
ADD	Wreck in Feet; 20	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-45.500N	073-54-13.200W
ADD	Wreck in Feet; 20	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-58.500N	073-54-29.800W
ADD	Wreck in Feet; 21	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-48.800N	073-54-16.700W
ADD	Wreck in Feet; 27	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-32.800N	073-54-05.000W
ADD	Wreck in Feet; 4	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-31.900N	073-55-01.800W
ADD	Wreck in Feet; 8	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-36-20.900N	073-54-02.700W
ADD	Wreck in Feet; 8	Wk Chart No. 1: K26 (NOS NW-23253)	NOS 40-37-41.200N	073-54-34.200W

12352

34th Ed.

01-SEP-12

Last LNM: 43/13

NAD 83

46/13

ChartTitle: Shinnecock Bay to East Rockaway Inlet

CHART SHINNECOCK BAY TO EAST ROCKAWAY INLET. Page/Side: N/A

RELOCATE Quantuck Canal Light 7

CGD01  
from 40-48-10.301N  
to 40-48-10.144N072-37-30.660W  
072-37-30.001W

Main Panel 696 SOUTH OYSTER BAY TO GREAT SOUTH BAY LONG ISLAND NY. Page/Side: a

RELOCATE Quantuck Canal Light 10

CGD01  
from 40-48-23.628N  
to 40-48-23.722N072-36-50.778W  
072-36-50.444W

12402 12th Ed. 01-JUN-12 Last LNM: 43/13 NAD 83 46/13  
 ChartTitle: New York Lower Bay Northern part  
 Main Panel 2247 NEW YORK LOWER BAY NORTHERN PART. Page/Side: N/A

ADD	Wreck in Feet; 10 Wk	Chart No. 1: K26 (NOS NW-23255)	NOS 40-34-52.669N	074-03-47.351W
ADD	Wreck in Feet; 14 Wk	Chart No. 1: K26 (NOS NW-23255)	NOS 40-31-10.441N	074-05-10.151W

13229 32nd Ed. 01-JUN-13 Last LNM: 42/13 NAD 83 46/13  
 ChartTitle: South Coast of Cape Cod and Buzzards Bay  
 CHART SOUTH COAST OF CAPE COD AND BUZZARDS BAY. Page/Side: N/A

(Temp)	RELOCATE	Lewis Bay Approach Channel Buoy 21	CGD01 from 41-38-41.650N to 41-38-41.650N	070-16-19.997W 070-16-19.997W
--------	----------	------------------------------------	---	----------------------------------

Main Panel 2116 SOUTH COAST OF CAPE COD AND BUZZARDS BAY MASSACHUSETTS. Page/Side: a

(Temp)	RELOCATE	Lewis Bay Approach Channel Lighted Buoy 11	CGD01 from 41-37-51.980N to 41-37-51.980N	070-16-19.510W 070-16-19.510W
--------	----------	--	---	----------------------------------

## SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

### SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

#### Advance Notice(s)

##### MA-BOSTON

Maritime Stakeholder are invited to participation in a uniquely combined meeting of the Massachusetts Bay Harbor Safety Committee (HSC) and the Plymouth to Salisbury, Massachusetts Area Committee scheduled to be held at the Black Falcon Cruise Port, Boston, MA from 10:00 AM to 2:00 PM on Wednesday December 11, 2013.

The Keynote presentation for this meeting will be a discussion of the recently published Preparing for the Rising Tide report by the Boston Harbor Association. This compelling report and discussion focusing on the impacts of rising tide and storm surge in the Boston area should be of great interest to both of these forums.

For further information, please feel free to contact LCDR Scott White, 617-223-3028 or [scott.c.white@uscg.mil](mailto:scott.c.white@uscg.mil) or Mr. Mark Cutter, 617-223-4000 or [mark.e.cutter@uscg.mil](mailto:mark.e.cutter@uscg.mil).

LNM: 46/13

##### NJ-HUDSON-HOBOKEN

On November 23, 2013, from 8:00 am - 5:00 pm, hydrophones will be installed on the river bottom for a system test. The location is 40°28'43.83"N 73°59'28.50"W and 40°28'52.58"N 74° 0'11.39"W. The equipment will consist of two buoys. Each buoy has two hydrophones and recording equipment mounted on a 8'x2'x1.5' steel frame. The frames will be positioned on the river bottom. Each frame will also have a lead anchor that will also rest on the bottom and have lines connecting it to the frame and a white spar type marker buoy with a red band and strobe light on the surface.

LNM: 46/13

##### NY-LONG ISLAND SOUND WESTERN END- HEMPSTEAD HARBOR TO TALLMAN ISLAND- Little Neck Bay Approach

The Coast Guard will be making the following changes to this water way in November;

ESTABLISH Kings Point CG Mooring Buoy (LLNR 21477) White with blue stripe nun marked with CG in position (PA) 40-51-36.335N 073-44-20.454W.  
 Chart 12366 LNM: 46/13

##### MA-WEYMOUTH FORE RIVER

The US Coast Guard is establishing a temporary regulated navigation area (RNA) on waters of the Weymouth Fore River in the vicinity of the Fore River Bridge during bridge replacement operations. The RNA will be in effect from 28 October 2013 until 31 December 2017. 78 Fed. Reg. 59237 (September 26, 2013)

LNM: 40/13

#### NOTICE OF LIGHTERING OPERATIONS-COTP NEW YORK ZONE

1. In order to increase situational awareness within the port, vessels intending to conduct lightering operations outside of Vessel Traffic Service New

- York (VTS) managed anchorages (Anchorage 21A, 21B, 21C, 23A, 23B, 24 and 25) shall notify the VTS Watch Supervisor at (718) 354 -4088 of the time and place of the planned lightering operation at least four hours in advance of the transfer in accordance with 33 CFR 156.118 (b).
2. Vessels conducting lightering operations within VTS managed anchorages (Anchorage 21A, 21B, 21C, 23A, 23B, 24 and 25) must notify VTS before beginning and at the termination of lightering operations in accordance with 33 CFR 110.155 (d) (16), but four hour advanced notice is not required.
3. According to 33 CFR 156.205, lightering operations means the transfer of a cargo of oil or a hazardous material in bulk from one vessel to another, including all phases of the operation from the beginning of the mooring operation to the departure of the service vessel from the vessel to be lightered, except when that cargo is intended only for use as a fuel or lubricant aboard the receiving vessel.
4. Please contact LCDR Donna Leoce at (718) 354-2353 or [Donna.D.Leoce@uscg.mil](mailto:Donna.D.Leoce@uscg.mil) with any questions regarding this Coast Guard Advisory Notice.

LNM: 28/13

## SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

### PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

#### Proposed Change Notice(s)

##### **NJ-PASSIAC RIVER (CHART 12337) - PASSAIC RIVER**

The Coast Guard is considering making the following changes to Aids to Navigation in this waterway:

DISESTABLISH the following aid:

Passaic River Channel Buoy 12 (LLNR 37640).

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 December 2013 to complete the process. Refer to Project No. 01-13-133. In addition to the address listed on the front cover, e-mail can be sent to: [Jack.J.McLaughlin@uscg.mil](mailto:Jack.J.McLaughlin@uscg.mil) and faxes to (617) 223-8291.

Charts: 12327 12337

LNM: 45/13

##### **NY-NEW YORK HARBOR**

The Coast Guard is considering making the following changes to Aids to Navigation to this waterway:

CHANGE the following aids as indicated:

East River Main Channel Lighted Buoy 19 (LLNR 27340) to Deep Water Channel Lighted Buoy 1 (LLNR 27340)  
 East River Main Channel Lighted Buoy 20 (LLNR 27345) to Deep Water Channel Lighted Buoy 1 (LLNR 27345)  
 East River Main Channel Lighted Buoy 21 (LLNR 27350) to Deep Water Channel Lighted Buoy 3 (LLNR 27345)

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 22 November 2013 to complete the process. Refer to Project No. 01-13-135. In addition to the address listed on the front cover, e-mail can be sent to: [Jack.J.McLaughlin@uscg.mil](mailto:Jack.J.McLaughlin@uscg.mil) and faxes to (617) 223-8291.

Charts: 12327 12334 12335

LNM: 45/13

##### **MA-CAPE COD BAY-WELLFLEET HARBOR**

The Coast Guard is considering making the following changes to this waterway:

CHANGE the seasonal relief status from "Replaced by can from Oct. 15 to Apr. 15." to "Remove when endangered by ice." on the following aids

James Longstreet Isolated Danger Lighted Buoy DJ

CHANGE the seasonal relief status from "Replaced by LIB from Oct. 15 to Apr. 15." to "Remove when endangered by ice." on the following aids

Billingsgate Flat Lighted Buoy 3 (LLNR 13180)

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 22 Nov 2013 to complete the process. Refer to Project No. 01-13-122. In addition to the address listed on the front cover, e-mail can be sent to: [Jack.J.McLaughlin@uscg.mil](mailto:Jack.J.McLaughlin@uscg.mil) and faxes to (617) 223-8291.

Charts: 13246 13250

LNLM: 45/13

#### **NY-JAMAICA BAY AND ROCKAWAY INLET (Chart 12350)-MOTTS BASIN**

The Coast Guard is considering making the following changes to Aids to Navigation to this waterway:

DISESTABLISH the following aids:

Motts Basin Buoy 5 (LLNR 34520).  
Motts Basin Buoy 6 (LLNR 34525).  
Motts Basin Buoy 7 (LLNR 34530).

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 06 December 2013 to complete the process. Refer to Project No. 01-13-129. In addition to the address listed on the front cover, e-mail can be sent to: Jack.J.McLaughlin@uscg.mil and faxes to (617) 223-8291.

Chart 12350

LNLM: 44/13

#### **ME-SEACOAST-CAPE NEDDICK**

The Coast Guard is considering making the following changes to Aids to Navigation to this waterway:

CHANGE Cape Neddick Light (LLNR 125) fog signal to radio activated by the mariner. During times of reduced visibility, mariners are requested to turn their VHF-FM radio to channel 83A/157.175Mhz. By keying their microphone, 5 times consecutively, while on channel 83A, this will activate the fog signal for 45 minutes.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 6 December 2013 to complete the process. Refer to Project No. 01-13-127. In addition to the address listed on the front cover, e-mail can be sent to: Jack.J.McLaughlin@uscg.mil and faxes to (617) 223-8291.

Charts: 13003 13006 13009 13260 13283 13286

LNLM: 44/13

#### **CT-LONG ISLAND SOUND (Connecticut) -First District-APPROACHES TO NEW LONDON HARBOR (Chart 13212)-Pine Island Channel**

The Coast Guard is considering making the following change to Aids to Navigation:

CHANGE Pine Island Channel Lighted Bell Buoy 2 (LLNR 21735) nominal range from 4NM to 3NM.

This proposal would incorporate Light Emitting Diode (LED) technology.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 15 November 2013 to complete the process. Refer to Project No. 01-13-126. In addition to the address listed on the front cover, e-mail can be sent to: Jack.J.McLaughlin@uscg.mil and faxes to (617) 223-8291.

Charts: 12354 12372 13205 13212 13213 13214

LNLM: 44/13

#### **ME-SEACOAST-BAY OF FUNDY TO CAPE COD-CAPE PORPOISE HARBOR**

The Coast Guard is considering making the following changes to Aids to Navigation to this waterway:

CHANGE Goat Island Light (LLNR 105/8100) fog signal to radio activated by the mariner. During times of reduced visibility, mariners are requested to turn their VHF-FM radio to channel 83A/157.175Mhz. By keying their microphone, 5 times consecutively, while on channel 83A, this will activate the fog signal for 45 minutes.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 15 November 2013 to complete the process. Refer to Project No. 01-13-119. In addition to the address listed on the front cover, e-mail can be sent to: Jack.J.McLaughlin@uscg.mil and faxes to (617) 223-8291.

Charts: 13003 13006 13009 13260 13286 13289

LNLM: 41/13

#### **NY/NJ-ARTHUR KILL**

The US Coast Guard promulgated a temporary interim rule amending its prior temporary interim rule establishing a regulated navigation area (RNA) on navigable waters of the Arthur Kill in New York and New Jersey. The first temporary interim rule was prohibited vessels from approaching closer than 150 feet from all US Army Corps of Engineers (USACE) drilling and blasting equipment and extended through April 1, 2014. This second temporary interim rule allows the Coast Guard to suspend enforcement of some RNA requirements when they are found to be impracticable and unnecessary. The amendments come into effect immediately. Comments on the amendments should be submitted by April 1, 2014. 77 Fed. Reg. 1023 (January 9, 2012) <http://www.gpo.gov/fdsys/pkg/FR-2012-01-09/pdf/2012-108.pdf>.

LNLM: 02/12

---

## SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

---

### SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

Enclosure

#### CT-GREENWICH

Dredging is being done at Cos Cob Marina until approximately December 25, 2013. The hours of operation are 7 days a week, 24 hours a day. On scene is a dredge, dump scow and tug which is monitoring VHF-FM channel 16.

LNM: 46/13

#### MA – BUZZARDS BAY, NEAR CUTTYHUNK ISLAND WRECK OF F/V KERRY ANNE

The F/V KERRY ANNE is reported sunk in Buzzards Bay, approximately 1.8 nautical miles northwest of Cuttyhunk Island, in the vicinity of Ribbon Reef, in approximate position 41-25.84N 070-59.22W. The vessel is located in about 50' feet of water. Clearance over the vessel may be as little as 15 feet. Mariners should use extra caution when transiting in the vicinity of the sunken F/V KERRY ANNE.

Chart 13230

LNM: 46/13

#### MA-WOODS HOLE

Three ocean observing Moorings are being deployed in Middle Atlantic Bight, 55 nautical miles (nm) south of Martha's Vineyard. The mooring will be on scene from November 20 - 26 and are operational 24 hours a day.

LNM: 46/13

#### NJ-LOWER NEW YORK BAY

Exposed pipeline has been reported between Anchorage Ground 27 at Flynn's Knoll and Anchorage Ground 27 at Romer Shoal. The exposed pipeline is not within Ambrose or Sandy Hook Channels. Reported water depths above the pipeline range from 18 to 45 feet. Mariners are reminded that anchoring within a charted cable or pipeline area shown on a Government chart is prohibited as per 33 CFR 110.155(l)(2).

Charts: 12327 12401

LNM: 46/13

#### NJ-SANDY HOOK-STATION EARLE

Vibratory core samples are being taken, at 20 - 30 stations, from November 18 - December 7, 2013. The hours of operation will be 7 days a week, 24 hours a day. On scene will be the R/V CANDU that will be monitoring VHF-FM channels 13 & 16.

LNM: 46/13

#### NY-ARTHUR KILL

Dredging is being done in (pa) 40-37-38N 74-12-05W until approximately December 31, 2013. The hours of operation are 7 days a week, 6:00 am - 8:00 pm. On scene is a spud & material barge.

LNM: 46/13

#### NY-GREAT SOUTH BAY

Dredging is being done in Champlin Creek until approximately November 20, 2013. The work is being done 7 days a week, 7:00 am - 7:00 pm. On scene is the dredge TAMMY that is monitoring VHF-FM channel 63.

LNM: 46/13

#### NY-HUDSON RIVER-VERPLANCK POINT TO INDIAN POINT (REVISED 46/13)

Drilling operation will be conducted from the Lift Boat VISION. The vessel will be positioned in various locations between Verplanck Point and Indian Point. All locations will leave at least 1000 ft of unobstructed channel for passing vessels. The Lift Boat VISION will have no gear extending out from her position. Passage can be made on either side, with minimum wake. Lift Boat VISION will be monitoring VHF-FM 13 and 16. Duration of each sampling/boring: 60 hours. Time to move to not impede commercial navigation: 6 hrs during daylight hours. After work day drill crew subject to additional 1 hour standby. Sampling vessel will not move when located shoreward of the 30 foot contour. Project intended to be continuous through FEB 1, 2014, from 0600-1800, 7 days per week. POC: Capt Herman J. Bechtler 609-675-5384 or Capt Collin Clement

Chart 12343

LNM: 46/13

#### NY-JONES AND ROCKAWAY INLET

Jetty rehabilitation is being done in Jones and Rockaway inlet until approximately November 15, 2014. The hours of operation are 7 days a week, 6:00 am - 6:00 pm. On scene is a barge with a crane and tug boat that is monitoring VHF-FM channel 65.

LNM: 45/13

#### NY-SHELTER ISLAND

Dredging is being done in Coecles Harbor until approximately December 5, 2013. The hours of operations are 7 days a week, 24 hours a day. On scene is the dredge FINN that is monitoring VHF-FM channel 5.

LNM: 46/13

# SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
20 4925	<b>Monhegan Island Light</b>	43-45-53.282N 069-18-56.981W	Fl W 15s	178	20	White tower. 47	Within 3 miles of island the light is obscured between west and southwest. Emergency light of reduced intensity when main light is extinguished.	46/13
4925 20	<b>Monhegan Island Light</b>	43-45-53.282N 069-18-56.981W	Fl W 15s	178	20	White tower. 47	Within 3 miles of island the light is obscured between west and southwest. Emergency light of reduced intensity when main light is extinguished.	46/13
13120	<i>Barnstable Harbor Lighted Buoy 8</i>	41-43-15.593N 070-17-04.478W	Fl R 4s		4	Red.	Replaced by can from Oct. 15 to Apr. 15.	46/13
13174	<i>James Longstreet Isolated Danger Lighted Buoy DJ</i>	41-49-52.907N 070-02-40.368W	Fl (2)W 5s		4	Black and red bands with two black spherical topmarks.	Replaced by can when endangered by ice.	46/13
13180	<i>Billingsgate Flat Lighted Buoy 3</i>	41-50-48.779N 070-02-53.368W	Fl G 2.5s		4	Green.	Replaced by LIB when endangered by ice.	46/13
14205	<i>Bass River Entrance Lighted Bell Buoy 2</i>	41-37-35.084N 070-11-30.298W	Fl R 2.5s		3	Red.	Replaced by nun when endangered by ice.	46/13
14510	<i>Gazelle Rock Lighted Buoy 2</i>	41-36-06.235N 070-15-48.493W	Fl R 2.5s		4	Red.	Replaced by nun when endangered by ice.	46/13
14685	<i>Collier Ledge Lighted Isolated Danger Buoy DCL</i>	41-35-44.301N 070-21-05.653W	Fl (2)W 5s		4	Black and red bands with two black spherical topmarks.	Replaced by can when endangered by ice.	46/13
16721	<i>The Sandspit Lighted Bell Buoy 4</i>	41-31-53.051N 070-54-58.647W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.	46/13
	On west point of shoal.							
17055	<i>NYE Ledge Lighted Bell Buoy 1</i>	41-37-02.898N 070-46-10.267W	Fl G 4s		4	Green	Replaced by can when endangered by ice.	46/13
17115	<i>Sippican Harbor Lighted Buoy 2</i>	41-39-43.970N 070-43-34.070W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.	46/13
	Off southwest side of shoal.							



## SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
17130	<i>Sippican Harbor Lighted Buoy 3</i>	41-40-29.008N 070-44-22.162W	Fl G 2.5s		4	Green.	Replaced by can when endangered by ice.	46/13
	East of rock.							
20415	<i>Watch Hill Cove Channel Lighted Buoy 2</i>	41-18-53.009N 071-51-42.659W	Fl R 4s		3	Red.	Removed when endangered by ice.	46/13
30565	QUANTUCK CANAL LIGHT 7	40-48-10.144N 072-37-30.001W	Fl G 4s	14	3	SG on pile.	Maintained from Apr. 15 to Nov. 1.	46/13
	On edge of marsh.							
30575	QUANTUCK CANAL LIGHT 10	40-48-23.722N 072-36-50.444W	Fl R 2.5s		3	TR on pile.	Maintained from Apr. 15 to Nov. 1.	46/13

## ENCLOSURES

## ENCLOSURE

Marine events

## ENCLOSURE

NY/NJ – APPROACHES TO PORT OF NEW YORK AND NEW JERSEY - NOAA Hydrographic Survey Operations

LNM: 40/13

## ENCLOSURE

Bridge section

D. B. Abel  
Rear Admiral, U.S. Coast Guard  
Commander, First Coast Guard District

SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

LOCATION	OPERATION	COMPLETION DATE	LNМ
MA/Bass River	Shoaling	Until further notice	22/09
CT/Clinton Harbor	Shoaling	Until further notice	21/09
NJ/NY Port of NJ/NY	Harbor deepening project	Until further notice	21/10
ME-Camden	Shoaling	Until further notice	32/10
MA-Nummet Channel	Shoaling	Until further notice	38/10
MA-Chatham Harbor	Shoaling	Until further notice	45/10
MA-Truro-Pamet Harbor	Shoaling	Until further notice	06/11
MA-Newburyport Harbor and Plum Island Sound	Shoaling	Until further notice	21/11
NY-Jones Inlet	Shoaling	Until further notice	23/11
MA-Gloucester-Annisquam River	Shoaling	Until further notice	41/11
NY-Rockaway Beach	Research buoys	06/30/14	05/12
ME/NH-Piscataqua River	Regulated Navigated area	12/31/13	07/12
NY-Jamaica Bay-Fresh Creek	Ribbed mussel nets	04/15/14	13/12
NY-Jamaica Bay	Oyster reef balls	04/15/14	13/12
MA-East Falmouth	Shoaling	Until further notice	21/12
MA-Boston Harbor	GPS reception problems	Until further notice	21/12
NY-Hudson River-Newburgh	Water monitoring sensor	12/31/14	32/12
MA-Martha’s Vineyard-Muskeget Channel	Soundings	Until further notice	42/12
CT-Thames River	Regulated Navigation Area	10/13/14	46/12
CT-Housatonic River	Regulated Navigation Area	11/30/17	02/13
NY-NY Harbor-Lower Bay	Sub-tidal research	12/31/13	05/13
NY-NY Harbor-East River	Sub-tidal research	12/31/13	05/13
NY-NY Harbor-Upper Bay	Sub-tidal research	12/31/13	05/13
MA-Massachusetts Bay	Sunken vessel	Until further notice	05/13
NY-Shinnecock Bay	Submerged hazard	Until further notice	09/13
MA-Hyannis Hbr Entrance Channel	Shoaling	Until further notice	10/13
NY-Moriches Bay/Inlet	Shoaling	Until further notice	12/13
NJ-Sandy Hook	Shoaling	Until further notice	14/13
MA-New Bedford Harbor	Dredging	04/15/14	14/13
MA-Marshfield	Shoaling	05/31/14	15/13
MA-Cape Cod Canal	Controlling depth reduction	Until further notice	16/13
MA-Cape Cod Canal	Air draft reduction	08/15/14	17/13
NY-East River	Piling rehabilitation	11/04/13	18/13
NY-Jamaica Bay	Bulkhead installation	04/01/14	21/13
MA-New Bedford Harbor	Dredging	12/30/13	21/13
VT-Lake Champlain	Hydrodynamic research	11/15/13	24/13
VT-Lake Champlain	Academic research	11/15/13	24/13
NY-East River	Piling repairs	04/30/14	26/13
NY-Brooklyn	Jetty construction	12/01/13	26/13
NJ-NJ-Atlantic City-Sandy Hook Bay	Dredging	11/01/13	26/13
NY-East River	Piling rehabilitation	07/08/14	28/13
NJ-Jersey City	Sediment sand capping	11/15/13	28/13
NY-Tarrytown	Dredging	Until further notice	31/13
NY-Hudson River	Tappan Zee construction	11/30/13	32/13
NY/NJ-NY lower Bay-Sandy Hook-Raritan Bay	Hydrographic surveys	12/31/13	32/13
NY-Hudson River	Channel excavation	11/01/13	32/13
ME-Penobscot River-Prospect& Verona	RNA 04/30/14	32/13	
NY-Atlantic Ocean	Artificial reef construction	04/30/14	24/13
NJ-Passaic River	Dredging	11/30/13	32/13
MA-Boston Inner Harbor	Marine construction	Fall 2016	32/13
NY-Stony Point	Diving operations	05/24/14	33/13
NJ/NY-Arthur Kill-Pralls Island Reach	Soil offloading	11/01/13	34/13
ME-Casco Bay	Wind and current research	11/17/13	34/13
NY-Upper New York Bay	Dredging	01/31/14	36/13
NY-NY Harbor	Dredging	12/31/13	36/13
NJ-Passaic River	Sediment samples	11/01/13	36/13
MA-Dorchester	Dredging	12/15/13	36/13
NY-East River	Diving operations	05/24/14	37/13
NY-Fire Island Inlet	Dredging	03/15/14	37/13
NY-Bowery and Flushing Bays	Test borings	11/10/13	38/13
MA-Boston Harbor	Moran Terminal pier repairs	11/15/13	38/13
NY-Narrows Bay Reach	Dredging	12/31/13	39/13
NY-Shinnecock Bay	Dredging	03/31/14	39/13
NY-New York	Hydrographic surveys	12/31/13	39/13
NY/NJ-NY Upper Bay-Port Jersey Chan	Dredging	12//01/13	39/13
MA-Boston Harbor	Disestablish safety zone	10/25/13	39/13
NY-Hudson River	Temporary RNA	12/31/13	39/13
NY-Great South Bay	Dredging	11/01/13	39/13
MA-Sakonnet River	Underwater pier inspections	10/31/13	40/13
CT-Norwalk Harbor	Dredging	11/15/13	40/13
CT-Groton	Dredging	01/07/14	40/13
NY-Smithtown	Dredging	12/31/13	41/13
NY-Moriches	Hydrographic surveys	12/29/13	41/13
ME-Eastport-Cobscook Bay	Underwater turbine	Until further notice	41/13
MA-New Bedford	Partial channel obstruction	Until further notice	41/13
CT-Stratford	Dredging	11/27/13	41/13
NY-Stony Brook Harbor	Dredging	12/31/13	41/13
NY-Sag Harbor	Breakwater repairs	11/08/13	42/13
NY-Gowanus	Bulkhead installation	11/15/13	42/13
NY-Sandy Hook	Dredging	01/31/14	42/13

## **BRIDGE SECTION**

### **COAST GUARD HAS GRANTED APPROVAL FOR THE FOLLOWING BRIDGE DEVIATION AND REGULATION CHANGES:**

<b><u>BRIDGE/WATERWAY</u></b>	<b><u>MILE</u></b>	<b><u>33CFR Sect.</u></b>	<b><u>DEVIATION/RULE</u></b>	<b><u>EFF.DATE</u></b>
Atlantic Beach Bridge/Reynolds Channel	0.4	117.799	Temporary Deviation	10/01/13--12/31/13
Quogue Bridge/Quogue Canal	1.1	117.799	Temporary Deviation	10/01/13--03/28/14
Path VL Railroad Bridge/ Hackensack River	3.0	117.723	Temporary Deviation	11/23/13--05/19/14

**MAINE - CASCO BAY - ORR'S ISLAND APPROACH – WILLS GUT – Bridge Construction** – Construction is underway for the replacement of the Harpswell-Bailey Island Bridge at mile 0.0 across Wills Gut at Harpswell, Maine. Work barges will be located in the main channel constructing the bridge support piers. Partially constructed bridge piers will be marked with red lights. Mariners are advised to exercise extreme caution while transiting the area. Chart 13290 LNM 46/13 (CGD1)

**MAINE – PORTSMOUTH TO DOVER AND EXETER – YORK HARBOR - YORK RIVER – Bridge Construction** – Construction of the new Sewall's Bridge, mile 1.6, across the York River at York, Maine will commence **September 1, 2012** and continue through **November 2013**. A 45' x 120' barge will be located at various positions during the old bridge demolition and new bridge construction. The main channel will remain open to navigation. Working hours will be 6:30 a.m. through 5 p.m., Monday through Friday. Mariners should exercise caution while transiting the area. Chart 13285 LNM 46/13 (CGD1)

**MAINE – DAMARISCOTTA SHEEPSCOT AND KENNEBEC RIVERS – Bridge Construction and Channel Restriction** – Construction of the new Richmond Dresden highway bridge, mile 26.2, across the Kennebec River between Richmond and Dresden, Maine is underway and will continue through **September 2016**. Two lighted pipe piles will be located approximately twenty five feet into the navigation channel on the Richmond side of the waterway from **October 17, 2013** through **November 7, 2013**. Wire cables will extend from the piles to the cofferdam at the newly constructed bridge pier on the Richmond side. The pipe piles will extend approximately 20 feet above mean high water with the cables at a height approximately 15 feet above high water. The pipe piles and cofferdam will be lit with flashing red lights. In addition, two work barges 45' x 120' and 55' x 100' will be positioned at various locations in the west side of the channel, outside the main navigation channel. Working hours will be Monday through Friday 6 a.m. through 4 p.m. Mariners should exercise caution while transiting the area. Chart 13293 LNM 46/13 (CGD1)

**MAINE – DAMARISCOTTA, SHEEPSCOT AND KENNEBEC RIVERS – THE GUT – Bridge Replacement** - The Commander, First Coast Guard District has received an application from Maine Department of Transportation proposing to replace the existing Gut Bridge, which carries Route 129 across The Gut, mile 0.2, between Rutherford Island and the mainland at South Bristol, Maine. Comments on this proposal should be forwarded to the office of the Commander (dpb), First Coast Guard District, Battery Park Building, 1 South Street, New York, NY 10004-1466 through **December 9, 2013**. The public notice which describes the proposal in detail can be viewed at: <http://www.uscg.mil/d1/prevention/bridges.asp> or hard copy of the public notice can be obtained by writing to the above address or by calling 212-668-7165.

Chart 13293 LNM 46/13 (CGD1)

**MASSACHUSETTS – BUZZARDS BAY - COHASSET NARROWS – Bridge Construction** – Bridge construction to replace the Route 6 highway bridge at mile 0.6 across Cohasset Narrows at Bourne is underway and will continue through **October 2014**. A 90' x 38' crane barge will be located at the bridge at all times. One half of the 55 foot main channel will be open to navigation at all times. Working hours will be 7 a.m. to 4 p.m. Monday through Friday. Mariners should exercise caution while transiting the area. Chart 13218 LNM 46/13 (CGD1)

**MASSACHUSETTS – NEWBURYPORT HARBOR AND PLUM ISLAND SOUND – MERRIMACK RIVER – Bridge Construction** – New bridge construction of the Route 97 & 113 (Bates) Bridge across the Merrimack River at mile 16.5, between Groveland and Haverhill will commence on **November 15, 2010** and continue through **February 28, 2014**. Turbidity curtains and cofferdams will be located at various positions in the waterway. The main navigation channel will remain open to vessel traffic during the boating season from **April 15 to November 15** each construction year. During the winter months the channel may be blocked at various times. Vessel transits can be coordinated by calling Cianbro Corporation at 978-241-9168. Mariners should exercise caution while transiting the work area. Chart 13282 LNM 46/13 (CGD1)

**MASSACHUSETTS – BOSTON HARBOR – CHARLES RIVER - Bridge Construction** – Bridge construction at the North Washington Street Bridge, mile 0.0, across the Charles River between Boston and Charlestown, Massachusetts will commence **July 8, 2013** and continue through **May 30, 2014**. A 20' x 40' self propelled work barge will be located at various positions in one or the other of the two navigated channels during construction. Mariners are advised to use the clear channel to transit the bridge. The barge will be located outside the navigation channel during off hours. Working hours will be 7 a.m. through 4 p.m. Monday through Friday. Mariners should exercise caution when transiting the bridge. Chart 13272 LNM 46/13 (CGD1)

**MASSACHUSETTS – BOSTON HARBOR – CHARLES RIVER – Bridge Construction** – Bridge construction is ongoing and will continue through **May 30, 2017**, at the Longfellow Bridge across the Charles River, mile 1.5, between Boston and Cambridge, Massachusetts. Work barges will be deployed at various locations outside the main navigation channel rehabilitating the support piers at the bridge. Working hours are 6 a.m. to 5 p.m. Monday through Saturday. Any questions concerning the bridge should be directed to the contractor, J.F. White, Mr. Greg Labrum, via land line at 508-879-4700 or cell phone at 617-719-7150. Mariners should exercise caution when transiting the work area. Chart 13272 LNM 46/13 (CGD1)

**MASSACHUSETTS - BOSTON HARBOR - WEYMOUTH - FORE RIVER - Bridge Construction** – Bridge construction at the new Route 3A highway bridge, mile 0.0, across the Weymouth Fore River between Quincy and Weymouth, Massachusetts is ongoing and will continue through **March 2016**. A 30' x 90' barge will be located on the Quincy side of the main channel and a 34' x 110' barge will be located on the Weymouth side of the main

channel, both outside the federal channel, to protect the construction area. Additional crane barges may be placed within the Federal channel occasionally to allow a safe working radius for the crane. The barges will be moved immediately for all commercial deep draft and barge transits. The contractor will be monitoring anticipated marine traffic and will fully remove all barges from the channel as needed. Working hours will be 7 a.m. through 4:30 p.m., Monday through Friday. The barges can be contacted on VHF-FM Channel 13 or by calling the contractor Mr. Jim Jones at 617-719-7174. Mariners should exercise caution while transiting the area.  
Chart 13270 LNM 46/13 (CGD1)

**MASSACHUSETTS - BOSTON HARBOR - MYSTIC RIVER - Bridge Construction & Vertical Clearance Reduction** - Bridge painting is underway at the Tobin Memorial Bridge, mile 0.1, across the Mystic River between Boston and Chelsea, Massachusetts. A paint containment platform will reduce vertical clearance by 2 feet under the bridge across the main shipping channel from **September 1, 2012** through **January 2014**. Working hours will be 7 a.m. to 7 p.m. Monday through Saturday. Mariners should exercise caution while transiting the area.  
Chart 13272 LNM 46/13 (CGD1)

**MASSACHUSETTS - NARRAGANSETT BAY - TAUNTON RIVER - Bridge Construction** - Stabilization of the bascule spans at the old Brightman Street (Rt-6) Bridge, mile 1.8, between Fall River and Somerset, Massachusetts, commenced on **November 8, 2013**. Work completion is anticipated by mid-**December 2013**. During daylight hours a 72' x 200' barge will be located in the navigation channel at various times during the work period. The barge will be moved out of the channel during overnights and all non-work periods. The barge will be moved from the navigation channel upon a one (1) hour advance notice by calling the bridge tender on VHF FM Channel 13 & 16 or by calling the contractor, Cianbro Middlesex Mr. David Schill at 860-519-7234. Mariners should exercise caution while transiting the bridge.  
Chart 13221 LNM 46/13 (CGD1)

**MASSACHUSETTS - OAK BLUFFS HARBOR - LAGOON POND - Bridge Construction** - Phase one construction of the permanent replacement of the Tisbury Oak Bluffs (Beach Road) bridge, mile 0.0, across Lagoon Pond at Martha's Vineyard, Massachusetts, will commence on **November 1, 2013** and continue through **December 1, 2015**. Three construction work barges (50' x 150') (30' x 130') (30' x 60') will be located at various positions throughout the construction period but will not block the navigation channel at any time. Mariners should exercise caution while transiting the area.  
Chart 13237 LNM 46/13 (CGD1)

**MASSACHUSETTS - SALEM AND LYNN HARBORS - SAUGUS RIVER - Bridge Demolition** - The demolition of the remaining support piers and fender system at the General Electric Pipeline Bridge, mile 2.3, across the Saugus River at Lynn, Massachusetts, will commence on **October 15, 2013** and continue through **December 15, 2013**. Two work barges, 36' x 108' and 26' x 80', will be used and will be located outside the Federal channel to facilitate the demolition. Mariners are advised to use caution while transiting the area.  
Chart 13275 LNM 46/13 (CGD1)

**RHODE ISLAND - NARRAGANSETT BAY - EAST PASSAGE - Bridge Painting & Vertical Reduction** - Bridge painting operations at the Newport Pell Bridge, mile 4.0, across Narragansett Bay East Passage, at Jamestown, Rhode Island, will commence on **April 15, 2013** and continue through **November 30, 2015**. A 265' x 48' barge will be located at various locations outside the navigable channel. The vertical clearance will be reduced by 8 feet under the approach spans to facilitate a work platform. The vertical clearance in the main navigation channel will not be reduced at any time. Working hours will be 7 a.m. and 7 p.m., Monday through Friday.  
Chart 13221 LNM 46/13 (CGD1)

**RHODE ISLAND - NARRAGANSETT BAY - BARRINGTON RIVER - Bridge Construction** - New bridge construction is underway and will continue through February 2014, at the Massasoit Avenue Bridge across the Barrington River, mile 1.9, at Barrington, Rhode Island. Working hours will be 6 a.m. through 6 p.m., Monday through Friday. Two work barges (20' x 40') (10' x 20') will be operating at various locations throughout the construction. Divers may be in the water, at various times and will be identified by the universal diver's flag. Should you need to transit while dive operations are underway or work barges are near the navigation channel you may contact the RIDOT Resident Engineer Mr. Michael Swift at (401) 265-5281 or the contractor, Cardi Corporation, Mr. Steven Morin, project superintendent at (401) 641-8876. Concerns regarding navigation issues may be addressed to Mr. Edward G. LeBlanc at Coast Guard Sector Southeastern New England at (401) 435-2351. Mariners should exercise caution while transiting the area.  
Charts 13221 and 13224 LNM 46/13 (CGD1)

**CONNECTICUT - LONG ISLAND SOUND - LONG ISLAND SOUND TO DEEP RIVER - CONNECTICUT RIVER - Bridge Rehabilitation** - Repairs to the Route 3 (Putnam) Bridge, mile 47.4 across Connecticut River, between Wethersfield and Glastonbury, Connecticut is in progress. All work will be done on top of the bridge. The entire project will be completed by **May 31, 2015**. Mariners are advised to transit the area with caution.  
Chart 12375 LNM 46/13 (CGD1)

**CONNECTICUT - LONG ISLAND SOUND - DUCK ISLAND TO MADISON REEF - CLINTON HARBOR - HAMMONASSET RIVER - Painting and Steel Repairs** - Phase I of the painting and steel repairs to the Route 1 Bridge, mile 2.4 across Hammonasset River will commence on **April 1, 2013** through **November 30, 2013**. There will be temporary platform installed under the bridge and will reduce the vertical clearance by 5 feet. Phase II of the repairs will start on **April 1, 2014** and to be completed by **August 1, 2014**. Mariners are advised to transit the area with caution.  
Chart 12374 LNM 46/13 (CGD1)

**CONNECTICUT - LONG ISLAND SOUND - CONNECTICUT RIVER - FARMINGTON RIVER - QUINNIPIAC RIVER - Replacement of Signal/Communication Cables** - Replacement of the cables for the Amtrak Bridges across Connecticut River, Farmington River and Quinnipiac River are in progress. There will not be any equipment in the channel. This project is to be completed by **October 31, 2014**.  
Charts 12371/12375 LNM 46/13 (CGD1)

**CONNECTICUT - LONG ISLAND SOUND - WATCH HILL TO NEW HAVEN HARBOR - Bridge Modification** - Construction to the Cut in Two Island Pedestrian Bridge across the Long Island Sound (The Thimbles) at mile 0.0 is in progress and will be completed by **July 2014**. There will be barges operating IVO the channel. Mariners are advised to exercise caution when transiting the area.  
Charts 12372 LNM 46/13 (CGD1)

**CONNECTICUT - LONG ISLAND SOUND - NEW HAVEN HARBOR - QUINNIPIAC RIVER - Channel Restrictions & Closure** - Replacement of the I-95 Bridge, mile 0.1, across Quinnipiac River is in progress through **December 2014**. There will be barges operating in the navigation channel for the demolition of the existing NB Bridge. An unobstructed 80ft of navigation channel is available at all times. Temporary shielding is installed under the existing NB Bridge and is reduced the vertical clearance by 7 feet below the low steel. The barges and temporary shielding are authorized through **December 31, 2013**. Mariners are advised to transit the area with extreme caution and reduce wake.  
Chart 12371 LNM 46/13 (CGD1)

**CONNECTICUT – LONG ISLAND SOUND – NEW HAVEN HARBOR– QUINNIPIAC RIVER – Painting and Steel Repairs** – Phase I of the painting and steel repairs to the I-91 Bridge, mile 2.0 across Quinnipiac River will commence on **April 1, 2013** through **November 30, 2013**. There will not be any obstruction in the navigation channel. Phase II of the repairs will start on **April 1, 2014** and to be completed by **August 1, 2014**. Mariners are advised to transit the area with caution.  
Chart 12371 LNM 46/13 (CGD1)

**CONNECTICUT – LONG ISLAND SOUND – HOUSATONIC RIVER AND MILFORD HARBOR – HOUSATONIC RIVER – Fender and Superstructure Repairs** – Repairs to the Metro-North Devon Bridge at mile 3.9 across Housatonic River at Stratford, Connecticut is in progress. A 22ft by 60ft barge and a tug boat are operating in the navigation channel through **October 30, 2013**. Mariners requiring full horizontal clearance can contact contractor via marine radio VHF CH 13/16. The entire project will be completed by **April 30, 2015**. Mariners are advised to transit the area with caution and plan their transits accordingly.  
Chart 12370 LNM 46/13 (CGD1)

**CONNECTICUT – LONG ISLAND SOUND – NORWALK RIVER – Steel Repairs** – Phase I of the steel repairs at the Walk RR Bridge across Norwalk River at mile 0.1 will commence on **September 17, 2012**. There will not any obstructions in the navigation channel. Hours of operations are from Monday to Friday between 0800 and 1500 and from Saturday to Sunday between 0700 and 1700. Phase I of the repairs will be completed by **December 14, 2012**. Phase II of the repairs will be commenced on **April 1, 2013** and completed by **October 31, 2013**.  
Chart 12368 LNM 46/13 (CGD1)

**NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET – HEMPSTEAD BAY – REYNOLDS CHANNEL – Bridge Rehabilitation** – Rehabilitation to Atlantic Beach Bridge across Reynolds Channel, mile 0.4, at Lawrence, New York is in progress. Temporary work platforms will be installed under the flanking spans and will remain until completion of the project. A 40ft barge will be operating in the navigation channel and will remain in the channel after working hours. Mariners requiring full horizontal clearance through the navigation channel can contact the contractor at 516-779-2395 via marine radio VHF-FM CH 13/16 48 hour in advance. Mariners should refer to the following article for bridge operational schedule. This project is to be completed by **December 1, 2013**. Mariners are advised to exercise caution when transiting the area.  
Chart 12352 LNM 46/13 (CGD1)

**NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET – HEMPSTEAD BAY – REYNOLDS CHANNEL – Notice of Temporary Deviation from Regulations** – The Coast Guard is temporarily changing the drawbridge operating regulations governing the operation of the Atlantic Beach Bridge, mile 0.4, across Reynolds Channel at Lawrence, New York. This interim rule is necessary to facilitate major bridge rehabilitation at the Atlantic Beach Bridge.

Under this temporary change, the Atlantic Beach Bridge may operate as follows:

- October 1, 2013 through December 31, 2013
  - At all times the bridge shall open both spans for commercial vessels after at least a 48 hour notice is given by calling the number posted at the bridge.
  - 8 p.m. through 6 a.m. - the bridge may operate a single span on signal
  - The bridge need operate a single span on signal, only at 6 a.m., 12 noon, 4 p.m. and 8 p.m.
- December 3 and December 4, 2013
  - The bridge may remain in the closed position between 12 a.m. and 5 a.m.

Mariners are advised to exercise caution when transiting the area and plan accordingly.

Chart 12352 LNM 46/13 (CGD1)

**NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET – FIRE ISLAND INLET – Bridge Rehabilitation** – Rehabilitation to the Robert Moses Causeway across Fire Island Inlet at mile 4.0 is in progress. Barges measuring 120ft by 40ft will be operating outside the channel. From **July 2013 through July 2014** platforms under the girder spans will reduce the vertical clearance by three and a half feet. From **March 2014 through Oct 2015** platforms will reduce the vertical clearance in the main navigational channel and flanking spans by six feet three inches. The platforms installed under the navigation channel are limited from green navigation light to one side of the pier only, the other half of navigation channel remains free of obstruction at all times. Working barges are operating outside the main navigation channel. Mariners are advised to exercise extreme caution when transiting the area. All work will be completed by **October 2015**.

Chart 12352 LNM 46/13 (CGD1)

**NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET – QUOGUE CANAL – Notice of Temporary Deviation from Regulations** – The Commander, First Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Quogue Bridge, mile 1.1, across Quogue Canal, in Southampton, New York. Under this temporary deviation, the bridge will keep one of the two movable spans in the closed position from **October 1, 2013** through **March 28, 2014**. A barge will be operating under the closed span blocking one half of the channel from **October 1, 2013** through **March 28, 2014**. The entire project will be completed by **October 2014**. Mariners are advised to exercise caution when transiting the area and plan their transits accordingly.

Chart 12352 LNM 46/13 (CGD1)

**NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – ROCKAWAY INLET – JAMAICA BAY – BEACH CHANNEL – NORTH CHANNEL – BROAD CHANNEL – Diving Inspections** – Inspections at the New York City Transit Authority RR Bridges and Rockaway Line Viaduct across Beach, North and Broad Channels will commence on **September 30, 2013**. A 26ft aluminum boat will be used IVO the viaduct/bridge. Mariners requiring full horizontal clearance can contact contractor via marine radio VHF-FM CH 13/16. The diving inspection will be completed by **December 24, 2013**. Mariners are advised to exercise caution when transiting the area and proceed at a no wake speed.

Chart 12350 LNM 46/13 (CGD1)

**NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – NORTH CHANNEL – FRESH CREEK – Bridge Replacement** – Replacement of the Shore Parkway Bridge across Fresh Creek at mile 0.4 is in progress. Barges are operating in and out of the navigable channel during construction. A minimum of 15ft horizontal clearance will be free of obstruction at all times. Mariners can contact the contractor via marine radio VHF-FM 13/16 to have work equipment moved out of the channel. This project is scheduled to be completed by **December 31, 2013**. Mariners are advised to plan ahead and transit the area with extreme caution.

Chart 12350 LNM 46/13(CGD1)

**NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – PAERDEGAT BASIN – Bridge Replacement** – Replacement of the Shore Parkway Bridge across Paerdegat Basin at mile 0.2 is in progress. A minimum of 50ft horizontal clearance and 27ft vertical clearance in MHW will be available through the navigation channel. Barges are operating in and out of the navigable channel during construction. Mariners can contact the contractor via

marine radio VHF-FM 13/16 to have work equipment moved out of the channel. This project is scheduled to be completed by **December 31, 2013**. Mariners are advised to plan ahead and transit the area with extreme caution.  
Chart 12350 LNM 46/13 (CGD1)

**NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – GERRITSEN INLET – Bridge Replacement** - Replacement of the Shore (Belt) Parkway Bridge across Gerritsen Inlet at mile 0.0 is in progress. Barges are operating in and out of the navigable channel during construction. A minimum of 65ft horizontal clearance will be free of obstruction through the navigation channel at all times. Mariners can contact the Community Liaison Jonathan Joseph at 347-702-6430 extension 114 or cell 347-203-9530 for any construction information. This project is scheduled to be completed by **October 30, 2017**. Mariners are advised to plan ahead and transit the area with extreme caution.  
Chart 12350 LNM 46/13 (CGD1)

**NEW YORK- NEW YORK HARBOR –EAST RIVER –Bridge Rehabilitation – Scaffolding** – Rehabilitation of Bronx-Whitestone Bridge across the East River at mile 13.8 is in progress. Scaffolding measuring 25ft X 25ft will be installed approx. mid-span under the bridge commencing **28 January 2013**. Scaffolding will **NOT** reduce the vertical clearance; it will be installed above the lowest point of the bridge. Scaffolding will remain under the bridge through end of **2013**. At times hot work will be conducted; however, welding and burning will cease upon approach of a vessel and shall not start again until the vessel has past the bridge. Contractor will be equipped with a marine radio and will be monitoring VHF-FM Chan. 13/16. Mariners are advised to exercise caution when transiting the area.  
Chart 12339 LNM 46/13 (CGD1)

**NEW YORK - NEW YORK HARBOR – EAST RIVER - HARLEM RIVER – Bridge Replacement** – Replacement of the new truss swing span for the Willis Avenue Bridge across the Harlem River at mile 1.5, is in progress. Bridge is operational; however, work will require periodic, alternating, half channel closures. Signs posted on the up and downstream sides of the bridge will indicate the open and closed channels. Two work barges and several vessels will be moored at the Manhattan side of Harlem River between the Willis Avenue and Third Avenue Bridges. Work barges will also be moored downstream of the bridge along the Bronx side draw. At times intermittent short term channel closures might occur; for up to date information concerning restrictions/closures contact the contractor at 908-305-4088. Hours of operation are between 0700 and 1700, Mondays to Fridays. This project is expected to be completed by the end of **October 2013**. Mariners are advised to proceed with caution and reduce wake when transiting the area.  
Chart 12342 LNM 46/13 (CGD1)

**NEW YORK - NEW YORK HARBOR – EAST RIVER - HARLEM RIVER – Bridge Rehabilitation** – Rehabilitation of the Henry Hudson Bridge across Harlem River at mile 7.2 is in progress. Temporary scaffolding which reduces the vertical clearance by approximately 2 feet under the bridge has been installed to prevent debris from falling into the waterway. This project is expected to be completed by end of **2013**. Mariners are advised to proceed with caution and reduce wake when transiting the area.  
Chart 12342 LNM 46/13 (CGD1)

**NEW YORK - NEW YORK HARBOR – EAST RIVER - HARLEM RIVER – Bridge Rehabilitation** – Rehabilitation of the Alexander Hamilton Bridge across Harlem River at mile 4.5 is in progress. Temporary scaffolding which reduces the vertical clearance by approximately 3ft. under the bridge has been installed to prevent debris from falling into the waterway. A small safety Boat (skiff) will be operating under the bridge. This project is expected to be completed by end of **2013**. Mariners are advised to proceed with caution and reduce wake when transiting the area.  
Chart 12342 LNM 46/13 (CGD1)

**NEW YORK – NEW YORK HARBOR - EAST RIVER – Bridge Painting/Scaffolding** – Painting of Throgs Neck Bridge across East River at mile 15.8 is in progress. Scaffolding installed under the bridge reduces vertical clearance by approximately 3 feet. Scaffolding will remain under the bridge through mid **2014**. In addition, a tug and barge measuring an 82 ft by 37ft and 110ft by 34ft barge are operating outside the channel. Mariners are advised to reduce wake and exercise caution when transiting the area.  
Chart 12339 LNM 46/13 (CGD1)

**NEW YORK- NEW YORK HARBOR – EAST RIVER – Bridge Rehabilitation**–Rehabilitation of cables and suspenders at the Manhattan Bridge across the East River at mile 1.1 is in progress. Contractor is installing a60 ft X 9 ft scaffolding under the span reducing the available vertical clearance by approx. 3 feet. This project is expected to be completed by the end of **2013**. Mariners are advised to exercise caution when transiting the area.  
Chart 12342 LNM 46/13 (CGD1)

**NEW YORK - NEW YORK HARBOR – EAST RIVER – Biennial Bridge Inspection** – Biennial Bridge Inspection at the Brooklyn Bridge across the East River, mile 0.8, will commence on **22 July** and continue through **30 November 2013**. Hours of operation will be from 0830 to 1400, Mondays through Fridays. At times the movable travelers, which will reduce the available vertical by approx. 15 feet, will be utilized when inspecting the underside of the bridge span. Mariners requiring the full vertical clearance of the Brooklyn half under the bridge can request the traveler to be moved outside the navigable channel. When the movable traveler is in operation, it will be equipped with marine radio and VHF-FM Chan 13/16 will be monitored. Mariners are advised to exercise caution when transiting the area.  
Chart 12339 LNM 46/13 (CGD1)

**NEW YORK- NEW YORK HARBOR –EAST RIVER –Bridge Painting & Rehabilitation** –Painting/approach rehabilitation of the Brooklyn Bridge across the East River, mile 0.8, is in progress. Contractor has installed scaffolding from the Manhattan side through mid-channel. Scaffolding reduces the available vertical clearance under the bridge by approx. 6 feet. The scaffolding will be marked by three red lights, one at each end of the scaffolding and one at the center. The remainder of the channel between mid-channel and the Brooklyn side will provide full vertical clearance and is clear of any obstructions, however, at times the movable platforms will be in use and occupy part of the Brooklyn half channel, the traveller platform can be move for passage of large vessels, with a one hour advance notice. Contact Coast Guard Vessel Traffic Service at 718-354-4088, for information if the movable traveller is in use. This project is expected to be completed by end of **2014**. Mariners are advised to exercise caution when transiting the area and large vessels are reminded to transit the Brooklyn half of the channel.  
Chart 12335 LNM 46/13 (CGD1)

**NEW YORK – NEW YORK TO WAPPINGER CREEK - HUDSON RIVER – New Bridge Construction** – Construction of the new Tappan Zee Bridge across the Hudson River, mile 27.7 is in progress. Numerous units of floating construction equipment will be operating in waterway north of the existing Tappan Zee Bridge. Equipment will include crew boats, tug boats, barge mounted cranes and barges Work to construct an access trestle and cofferdams north of the Tappan Zee Bridge extending 1,040 ft. west from the Westchester shoreline will continue through **November 2013**. In addition, dredging of access channels, east and west of the main channel will begin on **August 1** and continue through **October 2013**. Floating equipment will be located east and west of the Main Navigation channel. Other ongoing work includes a pile load test program scheduled to continue through **November 2013**. The pile load testing includes construction of temporary fixed platforms, some located adjacent to but outside the main navigation channel. Floating

equipment necessary for portions of this phase include barge mounted cranes, material barges, work boats, and tug boats that will occupy the channels, east and west and adjacent to the main navigation channel. Four (4) equipment moorings are located on the west side of the navigation channel at the following coordinates; Mooring (1N) N41 04.594 W73 53.622; Mooring (2N) N41 04.751 W73 54.054; Mooring (1S) N41 03.881 W73 53.669; Mooring (2S) N41 03.572 W73 53.667. **When transiting the area mariners should stay clear of these locations by a minimum of 1000 feet.**

**Mariners are advised to transit the main channel, reduce wake and use extreme caution while transiting the area in the vicinity of the Tappan Zee Bridge paying particular attention to vessel movement and future notices.**

Chart 12343 LNM 46/13 (CGD1)

**NEW YORK – NEW YORK TO WAPPINGER CREEK - HUDSON RIVER – Regulated Navigation Area**– the Coast Guard has established a Regulated Navigation Area (RNA) for the navigable waters of the Hudson River surrounding the Tappan Zee Bridge. This temporary interim rule allows the Coast Guard to enforce speed and wake restrictions and prohibit all vessel traffic through the RNA during bridge replacement operations, both planned and unforeseen, that could pose an imminent hazard to persons and vessels operating in the area. This rule is necessary to provide for the safety of life in the regulated area during the construction of the bridge. This rule is effective and has been enforced since **September 15, 2013** until December 31, 2018. Comments and related material pertaining to the RNA will be accepted and reviewed by the Coast Guard through **December 31, 2018**.

If you have questions on this rule call or e-mail Chief Craig D. Lapiejko, Waterways Management Branch at First Coast Guard District, telephone: 617-223-8385, e-mail: [craig.d.lapiejko@uscg.mil](mailto:craig.d.lapiejko@uscg.mil); or LT Hannah Eko, Coast Guard Sector New York Waterways Management Division, U.S. Coast Guard; telephone: 718-354-4114, e-mail: [hannah.o.eko@uscg.mil](mailto:hannah.o.eko@uscg.mil). If you have questions on viewing or submitting material to the docket, call Barbara Hairston, Program Manager, Docket Operations, telephone (202) 366-9826.

**§165.T01-0174 Regulated Navigation Area-Tappan Zee Bridge Construction Project, Hudson River; South Nyack and Tarrytown, NY**

(a) *Boundaries*. The following is a regulated navigation area; all waters north of a line drawn from the following approximate positions: 41°04'17.37"N, 073°55'13.16"W on the western shoreline; thence to 41°04'10.97"N, 073°55'05.05"W; thence to 41°04'10.03"N, 073°55'03.42"W; thence to 41°04'07.14"N, 073°54'54.48"W; thence to 41°04'05.30"N, 073°54'43.18"W; thence to 41°04'04.72"N, 073°52'22.52"W; thence to 41°04'02.52"N, 073°52'16.13"W; thence to 41°03'59.74"N, 073°52'10.83"W; thence to a point on the eastern shoreline at 41°03'54.39"N, 073°52'03.26"W; and all waters south of a line drawn from the following approximate positions: 41°04'34.79"N, 073°55'03.26"W on the western shoreline; thence to 41°04'33.62"N, 073°55'01.52"W; thence to 41°04'26.14"N, 073°54'53.96"W; thence to 41°04'23.76"N, 073°54'50.57"W; thence to 41°04'21.58"N, 073°54'43.77"W; thence to 41°04'20.96"N, 073°52'20.17"W; thence to 41°04'20.31"N, 073°52'15.83"W; thence to 41°04'16.76"N, 073°52'04.52"W; thence to a point on the eastern shoreline at 41°04'13.84"N, 073°51'59.44"W.

**(b) Regulations.**

(1) The general regulations contained in 33 CFR 165.10, 165.11, and 165.13 apply within the RNA.

(2) In accordance with the general regulations, entry into, anchoring, or movement within the RNA, during periods of enforcement, is prohibited unless authorized by the Captain of the Port New York (COTP) or his on-scene representative. The "on-scene representative" of the COTP is any Coast Guard commissioned, warrant or petty officer who has been designated by the COTP to act on the COTP's behalf. The on-scene representative may be on a Coast Guard vessel; New York State Police, or other designated craft; or may be on shore and will communicate with vessels via VHF-FM radio or loudhailer. Members of the Coast Guard Auxiliary may be present to inform vessel operators of this regulation.

(3) During periods of enforcement, entry and movement within the RNA is subject to a "Slow-No Wake" speed limit. Vessels may not produce a wake and may not attain speeds greater than five knots unless a higher minimum speed is necessary to maintain steerageway when traveling with a strong current. All vessels must proceed through the area with caution and operate in such a manner as to produce no wake.

(4) During periods of enforcement, all persons and vessels must comply with all orders and directions from the COTP or the COTP's on-scene representative.

(5) During periods of enforcement, upon being hailed by a Coast Guard vessel by siren, radio, flashing light or other means, the operator of the vessel must proceed as directed.

(6) Vessel operators desiring to enter or operate within the regulated area when it is closed shall contact the COTP or the on-scene representative via VHF channel 16 or 718-354-4353 (Sector New York Command Center) to obtain permission.

(7) Notwithstanding anything contained in this section, the Rules of the Road (33 CFR part 84—Subchapter E, inland navigational rules) are still in effect and must be strictly adhered to at all times.

(c) *Enforcement Periods*. This regulation is enforceable 24 hours a day from 5:00 a.m. on September 15, 2013 until 11:59 p.m. on December 31, 2018.


(1) Notice of suspension of enforcement: If enforcement is suspended, the COTP will cause a notice of the suspension of enforcement by all appropriate means to be given the widest publicity among the affected segments of the public. Such means of notification may include, but are not limited to, Broadcast Notice to Mariners and Local Notice to Mariners. Such notification will include the date and time that enforcement is suspended as well as the date and time that enforcement will resume.

(2) Violations of this RNA may be reported to the COTP at [718-354-4353](tel:7183544353) or on VHF-Channel 16.

Chart 12343 LNM 46/13 (CGD1)

**NEW YORK – NEW YORK TO WAPPINGER CREEK - HUDSON RIVER – Temporary Navigational Lights** - On or about mid **October 2013** temporary navigational lights will be relocated as per the diagram below at the existing Tappan Zee Bridge across the Hudson River at mile 27.0. . The new temporary navigational lighting plan includes marking the 600 foot wide main channel by affixing four-180° steady, red navigation lights to the underside of the main span, 2 each on the upstream and downstream sides of the structure, 300 feet either side of the centerline of the bridge. Each green center of channel light will have 3 white lights stacked vertically above it. The center 600' feet of the Main Navigation Channel will be free for the passage of marine traffic and clear of all obstructions at all times.

This temporary configuration is expected to be in place through mid-2015, at which time more detailed information for channel restrictions and closures during the installation of the superstructure of the new main spans will be published.



**NEW YORK – HUDSON RIVER– UPPER HUDSON RIVER – Bridge Painting**– Painting of the Newburgh-Beacon Bridge across the Hudson River at mile 62.0 will commence on or about **4 March 2013**. A safety boat will be stationed behind the bridge piers, outside the navigable channel. Hours of operation will be 0700 to 1900, Monday through Saturday. This project is expected to be completed by end of **2014**. The main channel will not be affected by this bridge painting project. Mariners are advised to reduce wake and exercise extreme caution when transiting the area.  
Chart 12347 LNM 46/13 (CGD1)

**NEW YORK- NEW YORK HARBOR - HUDSON RIVER – UPPER HUDSON–Bridge Rehabilitation**– Rehabilitation of the Patroon Island (I-90) Bridge across the Hudson River, mile 150.2, between Albany and Rennselaer, NY will commence on or about **15 August 2013**. Temporary scaffolding which will reduce the available vertical clearance under the bridge by approximately 3 feet will be installed to prevent debris from falling into the waterway. A work barge measuring **95t X 28ft** will operate in and around the channel. Hours of operation will be 0700 to 1700, Mondays through Fridays. This project is expected to be completed by mid **2015**. Mariners are advised to reduce wake and exercise extreme caution when transiting the area.  
Chart 12343 LNM 46/13 (CGD1)

**NEW JERSEY- NEW YORK – NEW YORK HARBOR - HUDSON RIVER – UPPER HUDSON–Notice of Final Rulemaking**– The Coast Guard has amended the drawbridge operation regulations that govern the operation of the highway bridge across the Hudson River, mile 152.7, between Troy and Green Island, New York effective **15 October 2013**. The owner of the bridge, New York State Department of Transportation, requested that a twenty four hour advance notice be given for bridge openings. In addition, the regulations for the 112th Street Bridge, mile 155.4, between Troy and Cohoes have been revoked since the bridge is no longer a movable structure. It is expected that this change to the regulations for the Troy-Green Island Bridge will provide relief to the bridge owner from crewing the bridge while continuing to meet the reasonable needs of navigation and will remove obsolete regulations from the Code of Federal Regulations (112<sup>th</sup> Street Bridge). To view the entire Final Rulemaking document, visit the First Coast Guard District Bridge Branch portal: <http://www.uscg.mil/d1/prevention/Bridges.asp>.  
Chart 12332 LNM 46/13 (CGD1)

**NEW YORK – NEW JERSEY - NEW YORK HARBOR – Vertical Clearance Reduction**–Installation of temporary work platform under the Verrazano-Narrows Bridge across New York Harbor at mile 0.0 to facilitate bridge painting and repair to the relief joints is in progress. The temporary work platforms are expected to be in place from **1 May 2012 to end of October 2013** and once installed will reduce the vertical clearance by approx. 4 feet. The permanent movable travelers will be utilized during installation of the temporary work platforms. The movable travelers reduce the vertical clearance by 12 feet and will be lighted with constant burning red lights on all corners when in use. Movable traveler will be able to move out of the navigable channel upon request. Movable traveler operator will be monitoring VHF-FM marine radios set to the bridge communication channels 16/13 when in use. Navigational lighting and the NOAA air gap sensor will not be affected by the work platform and should operate normally during this entire period. This project is expected to be completed by the end of **May 2014**. Mariners are advised to exercise caution when transiting the area.  
Chart 12327 LNM 46/13 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – ARTHUR KILL – Bridge Painting**– Maintenance painting of the Outerbridge Crossing Bridge across Arthur Kill at mile 2.0 is in progress. Bridge painting project will not affect navigation. This project is expected to be completed by end of **2014**. Mariners are advised to exercise caution when transiting the area.  
Chart 12333 LNM 46/13(CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – NEWARK BAY–**Deck rehabilitation of the New Jersey Turnpike Bridge across Newark Bay, mile 5.3, is in progress. Hours of operation are from 0700 to 1700, Mondays through Fridays. Scaffolding measuring 8 ft X 16ft will be suspended from the bridge at various to prevent debris from falling into the waterway. Scaffolding will reduce vertical clearance by approximately 3ft and will be marked by synchronized quick flashing red lights on all four corners. This project is expected to be completed by **3 December 2013**. Mariners are advised



to exercise extreme caution and reduce wake when transiting the area.  
Chart 12337 LNM 46/13 (CGD1)

**NEW JERSEY- NEW YORK HARBOR - NEWARK BAY – HACKENSACK RIVER -Notice of Temporary Deviation -** The Commander, First Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Path VL Railroad Bridge across the Hackensack River, mile 3.0, at Jersey City, New Jersey. Under this temporary deviation, the bridge may remain in the closed position for 26 consecutive weekends to facilitate bridge repairs effective on weekends from 12:01 am Saturday **November 23 2013** through 12:01 Monday **May 19, 2014**. The advance notice can be provided by calling the bridge tender at 201-246-2331 or via marine radio VHF-FM Chan.13. Vertical clearance in the closed position is approx. 40 feet at mean high water and 45 feet at mean low water. Vessels that can pass under the draw without a bridge opening may do so at all times. Mariners are advised to plan their transits accordingly.  
Chart 12327 LNM 46/13 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – NEWARK BAY– HACKENSACK RIVER –Rehabilitation of the Eastbound and Westbound Route 3 Bridges across Hackensack River at mile 8.8 and 8.9, respectively, is in progress.** Hours of operation are from 0700 to 1530. Floating equipment will be operating in and around the piers during rehabilitation. This project is expected to be completed by end of **December 2013**. Mariners are advised to exercise extreme caution and reduce wake when transiting the area.  
Chart 12337 LNM 46/13 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – NEWARK BAY–HACKENSACK RIVER - PASSAIC RIVER – Bridge Replacement**– Replacement of the Route 3 Bridge across Passaic River at mile 11.8 is in progress. A temporary access roadway will be installed at both east and west bridge approaches; however, the main navigational channel will be maintained at all times and will not be affected by this work. Contractor will install turbidity barriers around the perimeter of the project. The barriers will be anchored to prevent movement of the barrier and interference with navigation. An 18ft boat will be utilized to install the barriers. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12337 LNM 46/13 (CGD1)

**NEW YORK AND NEW JERSEY-NEWYORK HARBOR – NEWARK BAY- HACKENSACK RIVER-New Bridge Construction**– Replacement of the Whitt-Penn Bridge across the Hackensack River at mile 3.1 is in progress. Floating work equipments are operating in and around the piers outside the navigable channel, but at times might be partially restricting the channel. Mariners are strongly advised to contact Whitt-Penn Bridge landline 201-795-0631 or 973-589-5143 at least 12 hours in advance during the week day transit and 48 hours advance notice on weekend transit to alert the contractor to clear the channel for vessels transit. Mariners are advised to exercise extreme caution when transiting the area.  
Chart 12337 LNM 46/13 (CGD1)

**NEW JERSEY- NEW YORK HARBOR - RARITAN BAY– CHESSEQUAKE CREEK -Notice of Temporary Deviation -** The Commander, First Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the New Jersey Transit Rail Operation (NJTRO) Bridge, mile 0.2, across Cheesequake Creek at Morgan, New Jersey. Under this temporary deviation, effective **October 28, 2013 through November 10, 2013**, the bridge will require a four hour advance notice for openings on weekdays and one hour advance notice on weekends to facilitate scheduled bridge painting of the movable span. Beginning **November 11 through November 15, 2013**, four hour advance notice between **2 a.m. and 5 a.m.** will be required. Vertical clearance in the closed position is approx. 8 feet at mean high water and 3 feet at mean low water. Vessels that can pass under the draw without a bridge opening may do so at all times. Mariners are advised to plan their transits accordingly.  
Chart 12327 LNM 46/13 (CGD1)

## **MARINE EVENTS**

### **UPPER NEW YORK BAY**

(North of the Verrazano Bridge including Hudson River north to Whitehall Narrows, East River West of the Throgs Neck Bridge)

### **LOWER NEW YORK BAY**

(South of the Verrazano Bridge, west of Arverne, Rockaway Beach)

### **LONG ISLAND SOUND**

(East of Throgs Neck Bridge to west of Matinecock Point)

### **NEW JERSEY**

(North of Long Branch)

#### **NJ – SHREWSBURY RIVER – GOOSENECK POINT – Sailing Regatta**

Mariners are advised that the Shrewsbury Sailing Yacht Club (SSYC) regattas are scheduled to be held on the Shrewsbury River from **March 26 - December 06, 2013**. Races will occur daily between 8:00 a.m. and 8:00 p.m., approximately 75 sailboats (10 to 19 feet in length) will participate in courses located in the vicinity of Gooseneck Point, Oceanport, NJ. Interested mariners may contact the Principal Race Officer on marine band radio channel 68 VHF-FM. Chart 12325. LNM 11/13 (CGD1)

For Sector New York Marine Events information, reference our web link:

<http://homeport.uscg.mil/newyork> > [Waterways Management](#) > [02 Marine Events and Firework Displays](#) or email [D01-SMB-SecNY-SPW-MarineEvents@uscg.mil](mailto:D01-SMB-SecNY-SPW-MarineEvents@uscg.mil). Additional contacts at Sector New York: Lieutenant Junior Grade Kimberly Beisner, [Kimberly.A.Beisner@uscg.mil](mailto:Kimberly.A.Beisner@uscg.mil), (718) 354-4163, Boatswain Mate First Class David Taylor, [David.A.Taylor@uscg.mil](mailto:David.A.Taylor@uscg.mil), (718) 354-4197.

## **Sector Long Island Sound Marine Events**

Date	Event	Type	Time	Location
16-Nov	Stonington Harbor Yacht Club Frostbite	Regatta	1300-1700	Stonington Harbor and Eastern Fisher Island Sound
17-Nov	Stonington Harbor Yacht Club Ideal 18 Sunday Racing	Regatta	1200-1700	Stonington Harbor and Eastern Fisher Island Sound
17-Nov	Frostbite Yacht Club Spring Series	Regatta	1300-1600	CT River between Essex and Lyme